

**Reference**

NBS  
Publi-  
cations



NAT'L INST. OF STAND & TECH

A11106 259851

R 82-2579

# Tables of Energy Deposition Distributions in Aluminum and Copper Irradiated by Point-Monodirectional Electron Beams With Energies From 1 to 60 MeV

---

U.S. DEPARTMENT OF COMMERCE  
National Bureau of Standards  
Washington, DC 20234

October 1982

Prepared for:  
Office of Naval Research  
Arlington, Virginia 22217

Space Science Data Center  
NASA Goddard Space Flight Center  
Greenbelt, Maryland 20771

QC  
100  
U56  
82-2579  
1982



NATIONAL BUREAU  
OF STANDARDS  
LIBRARY

MAR 15 1983

NBSIR 82-2579

**TABLES OF ENERGY DEPOSITION  
DISTRIBUTIONS IN ALUMINUM AND  
COPPER IRRADIATED BY  
POINT-MONODIRECTIONAL ELECTRON  
BEAMS WITH ENERGIES FROM  
1 TO 60 MeV**

---

M. J. Berger and S. M. Seltzer

U.S. DEPARTMENT OF COMMERCE  
National Bureau of Standards  
Washington, DC 20234

October 1982


Prepared for:  
Office of Naval Research  
Arlington, Virginia 22217

Space Science Data Center  
NASA Goddard Space Flight Center  
Greenbelt, Maryland 20771



---

**U.S. DEPARTMENT OF COMMERCE, Malcolm Baldrige, Secretary  
NATIONAL BUREAU OF STANDARDS, Ernest Ambler, Director**



Tables of Energy Deposition Distributions in Aluminum and Copper Irradiated  
by Point-Monodirectional Electron Beams with Energies from 1 to 60 MeV<sup>\*</sup>

M. J. Berger and S. M. Seltzer  
National Bureau of Standards  
Washington, D.C. 20234

This report presents tables of energy deposition distributions in aluminum and copper media irradiated by monoenergetic point-monodirectional electron beams. The distributions are given as functions of the depth in the medium and of the radial distance from the incident beam. Results are given for 7 beam energies between 1 MeV and 60 MeV. As shown earlier in National Bureau of Standards Report NBSIR 82-2451 (1982), the tabulated results from monoenergetic, point-monodirectional sources can be used, by superposition, to obtain spatial distributions of the energy imparted to the medium by parallel beams with arbitrary spectra and finite arbitrary cross sections.

Key words: absorbed-dose distribution; aluminum; copper; electron; point-monodirectional beam; superposition.

---

\*This work was supported by the Office of Naval Research and by the Space Science Data Center at the NASA Goddard Space Flight Center.

## 1. INTRODUCTION

The spatial distribution of energy imparted to a medium irradiated by an electron beam depends on the electron stopping power and on the multiple scattering of the electrons in the medium. Even when the incident beam is narrowly collimated (point-monodirectional), the distribution of imparted energy spreads laterally with depth in the medium, as the result of multiple scattering. The higher the atomic number of the medium, the greater are the effects of multiple scattering.

In a previous report [1]<sup>1</sup> we have presented comprehensive tables of the spatial distribution of imparted energy in a water medium irradiated by point-monodirectional monoenergetic electron beams with energies from 1 to 60 MeV. It was also shown in reference [1] how these "elementary" distributions can be combined by superposition to obtain the spatial distribution of imparted energy from parallel electron beams with finite cross sections of arbitrary shape. Of course one can also use weighted sums of elementary distributions for monoenergetic sources to obtain results for incident electron beams with arbitrary spectra.

The results for water were generated mainly with a view towards applications in biomedical dosimetry, for example in radiation treatment planning. In the present report the calculations are extended to other media of higher atomic number (aluminum and copper) to provide information of interest for radiation damage studies in terms of imparted energy.

## 2. CONDITIONS OF CALCULATION

The calculations were, as in reference [1], carried out with the Monte Carlo transport program ETRAN [2]. A point-monodirectional electron beam with kinetic energy  $T_0$  was assumed to be incident along the z-axis onto a semi-infinite medium that occupies the region  $z \geq 0$ . The electron tracks simulated by random sampling were analyzed to obtain an estimate of the elementary distribution function  $F(\rho, z)$ . This distribution is defined such that  $F(\rho, z)d\rho dz$  represents the average fraction of the incident beam energy that is deposited at depths between  $z$  and  $z + dz$  and at radial distances between  $\rho$  and  $\rho + d\rho$  from the z-axis. This distribution is normalized such that

$$\int_0^\infty dz \int_0^\infty F(\rho, z)d\rho = 1 . \quad (1)$$

The Monte Carlo results were actually obtained, and were tabulated, in the form of the following histogram distributions:

---

<sup>1</sup>Numbers in brackets indicate literature references at the end of this paper.

a) Distribution of imparted energy in depth intervals,

$$H_n = 100 \int_{z_{n-1}}^{z_n} dz \int_0^\infty d\rho' F(\rho', z) . \quad (2)$$

b) Cumulative radial distribution of imparted energy in indicated depth intervals,

$$\psi_n(\rho) = 100 \frac{\int_{z_{n-1}}^{z_n} dz \int_0^\rho d\rho' F(\rho', z)}{\int_{z_{n-1}}^{z_n} dz \int_0^\infty d\rho' F(\rho', z)} . \quad (3)$$

The boundaries of the depth intervals were chosen such that

$$z_n = nr_0/20, n = 0, 1, 2 \dots \quad (4)$$

where  $r_0$  is the c.s.d.a. range (rectified pathlength computed in the continuous-slowing-down approximation) at the incident-beam energy  $T_0$ . Similarly, tabular values of  $\psi_n(\rho)$  are given for  $\rho$ -values that are specified fractions of  $r_0$ . The distributions of imparted energy are thereby "scaled" in the sense that their dependence on the incident beam energy  $T_0$  is minimized, which facilitates interpolation with respect to  $T_0$ .

### 3. ELECTRON RANGES

The Monte Carlo calculations for this report were done some time ago, with the best cross sections then available for the electron energy loss per unit pathlength. Since then, the collision stopping power (mean energy loss per unit pathlength due to excitations and ionizations) and the radiative stopping power (mean energy loss per unit pathlength due to the emission of bremsstrahlung) have been revised [3]. For the collision stopping power, more up-to-date experimental values were used for the mean excitation energy (the key parameter of the Bethe stopping power formula). Moreover, the density-effect correction (reduction of energy loss due to the polarization of the medium) was improved. The universal approximation formula of Sternheimer and Peierls [4] was no longer used. Instead, the density-effect was evaluated according to the original method of Sternheimer [5], using up-to-date values of the mean excitation

energy and of the atomic binding energies needed for the modeling of the dispersion properties of the medium. In regard to the radiative stopping power, the principal changes consist of the use of the new theoretical cross sections of Pratt *et al.* [6] below 2 MeV, the re-evaluation of the cross sections of Davies, Bethe, Maximon, and Olsen [7] above 50 MeV, and the use of interpolation with respect to electron energy to cover the region from 2 to 50 MeV.

Fortunately the use of improved cross sections resulted in relatively small changes in the stopping powers for aluminum and copper compared to those used in the Monte Carlo calculations, and the corresponding changes of the c.s.d.a. ranges, shown in table 1, are equally small. It is expected to be a good approximation to assume that the scaled spatial distributions of imparted energy, expressed in terms of the variables  $\rho/r_0$  and  $z/r_0$ , are not affected by the change of cross sections. The appropriate adjustment to the new cross sections can then be made simply by using the new range values when converting the spatial distributions from the scaled form into unscaled distributions as functions of  $\rho$  and  $z$ .

#### 4. RESULTS

Spatial distributions of imparted energy from point monodirectional electron beams, are given for 7 beam energies from 1 MeV to 60 MeV. The results at each energy are based on a sample of 10,000 tracks of primary electrons as well as the tracks of all generations of secondary electrons (including those set in motion by bremsstrahlung photons). Tables 2A and 2B give the histogram distributions  $H_n$  with respect to depth, for aluminum and copper. Tables 3A and 3B give the cumulative histogram distributions  $\psi_n(\rho)$  with respect to radial distance from the incident beam, in various depth intervals, for aluminum and copper.

## REFERENCES

- [1] Berger, M. J. and Seltzer, S. M., National Bureau of Standards Report NBSIR 82-2451 (1982).
- [2] Berger, M. J. and Seltzer, S. M., National Bureau of Standards Report 9837 (1968).
- [3] Berger, M. J. and Seltzer, S. M., National Bureau of Standards Report NBSIR 82-2550 (1982).
- [4] Sternheimer, R. M. and Peierls, R. F., Phys. Rev. B3, 3681 (1971).
- [5] Sternheimer, R. M., Phys. Rev. 88, 851 (1952).
- [6] Pratt, R. H., Tseng, H. K., Lee, C. M., Kissel, L., MacCallum, C., and Riley, M., Atomic Data and Nuclear Data Tables 20, 175 (1977); errata in 26, 477 (1981).
- [7] Davies, H., Bethe, H. A., and Maximon, L. C., Phys. Rev. 93, 788 (1954); and Olsen, H., Phys. Rev. 99, 133 (1955).

Table 1. Electron ranges\* in aluminum and copper

$T_0$ (MeV)	Aluminum			Copper		
	$r_0$ (g/cm <sup>2</sup> )		Percent Difference	$r_0$ (g/cm <sup>2</sup> )		Percent Difference
	Old <sup>a</sup>	New <sup>b</sup>		Old <sup>a</sup>	New <sup>b</sup>	
60	23.68	23.56	- 0.5	20.27	20.29	0.1
40	18.00	17.90	- 0.6	16.20	16.24	0.2
20	10.63	10.56	- 0.7	10.36	10.43	0.7
10	5.898	5.861	- 0.6	6.116	6.183	1.1
5	3.107	3.092	- 0.5	3.358	3.408	1.5
2	1.221	1.224	0.2	1.364	1.384	1.8
1	0.5508	0.5546	0.7	0.6249	0.6367	1.9

\* Ranges are computed in continuous-slowing-down approximation and represent rectified pathlengths traveled by electrons in the course of slowing down to rest.

<sup>a</sup> Old: used in Monte Carlo calculations.

<sup>b</sup> New: From reference [3].

TABLE 2A. Distribution of energy deposition in aluminum as a function of depth. The numbers in the column headed "Scaled depth interval" are the depth boundaries in units of the c.s.d.a. range  $r_0$ . The other columns give the quantity  $H_n$  as defined by Eq (2), i.e., the percentage of the beam energy that is deposited in the indicated depth interval.

**Energy Deposition as a Function of Depth in Aluminum**

Scaled depth interval	Beam energy, MeV						
	60	40	20	10	5	2	1
0.0 - 0.05	2.97	3.38	3.91	4.29	4.61	4.91	5.04
0.05 - 0.10	3.16	3.58	4.18	4.68	5.20	5.97	6.45
0.10 - 0.15	3.23	3.73	4.35	5.03	5.88	7.06	7.81
0.15 - 0.20	3.35	3.76	4.51	5.21	6.43	8.15	8.74
0.20 - 0.25	3.47	3.88	4.58	5.61	6.95	8.78	9.17
0.25 - 0.30	3.63	3.98	4.76	6.01	7.64	9.00	9.26
0.30 - 0.35	3.64	4.07	5.05	6.35	7.99	8.89	8.88
0.35 - 0.40	3.69	4.14	5.09	6.65	8.06	8.41	8.31
0.40 - 0.45	3.76	4.16	5.33	6.97	7.76	7.60	7.60
0.45 - 0.50	3.75	4.19	5.39	6.89	7.31	6.82	6.57
0.50 - 0.55	3.75	4.27	5.48	6.70	6.58	5.92	5.42
0.55 - 0.60	3.71	4.25	5.49	6.17	5.81	4.77	4.27
0.60 - 0.65	3.64	4.20	5.31	5.64	4.92	3.62	3.15
0.65 - 0.70	3.54	4.07	5.01	4.91	3.89	2.64	2.07
0.70 - 0.75	3.45	3.82	4.52	3.95	2.80	1.78	1.31
0.75 - 0.80	3.25	3.60	3.95	3.02	1.87	1.04	0.75
0.80 - 0.85	3.03	3.38	3.25	2.12	1.06	0.53	0.40
0.85 - 0.90	2.84	2.99	2.55	1.35	0.54	0.21	0.14
0.90 - 0.95	2.55	2.56	1.82	0.71	0.24	0.06	0.04
0.95 - 1.00	2.26	2.11	1.21	0.30	0.07	0.02	0.01
1.00 - 1.05	1.98	1.69	0.71	0.13	0.03	0.00	0.00
1.05 - 1.10	1.69	1.33	0.40	0.06	0.02	0.01	0.00
1.10 - 1.15	1.43	0.98	0.23	0.05	0.01	0.00	0.00
1.15 - 1.20	1.16	0.72	0.16	0.05	0.02	0.00	0.00
1.20 - 1.25	0.99	0.52	0.14	0.05	0.01	0.01	0.00
1.25 - 1.30	0.83	0.40	0.13	0.04	0.01	0.00	0.00
1.30 - 1.35	0.72	0.33	0.13	0.03	0.01	0.00	0.00
1.35 - 1.40	0.60	0.32	0.12	0.03	0.01	0.00	0.00
1.40 - 1.45	0.56	0.31	0.10	0.03	0.01	0.00	0.00
1.45 - 1.50	0.53	0.29	0.10	0.02	0.01	0.00	0.0
1.50 - 1.55	0.51	0.28	0.10	0.02	0.01	0.00	0.00
1.55 - 1.60	0.48	0.28	0.09	0.02	0.01	0.00	0.00
1.60 - 1.65	0.48	0.29	0.07	0.02	0.00	0.00	0.00
1.65 - 1.70	0.47	0.26	0.08	0.03	0.01	0.00	0.00
1.70 - 1.75	0.44	0.27	0.07	0.02	0.00	0.00	0.0
1.75 - 1.80	0.42	0.28	0.07	0.02	0.01	0.00	0.0
1.80 - 1.85	0.39	0.26	0.07	0.02	0.00	0.00	0.00
1.85 - 1.90	0.39	0.24	0.07	0.02	0.00	0.00	0.00
1.90 - 1.95	0.39	0.23	0.07	0.02	0.00	0.00	0.0
1.95 - 2.00	0.34	0.23	0.06	0.02	0.00	0.00	0.0

TABLE 2B. Distribution of energy deposition in copper as a function of depth. The numbers in the column headed "Scaled depth interval" are the depth boundaries in units of the c.s.d.a. range  $r_0$ . The other columns give the quantity  $H_n$  as defined by Eq (2), i.e., the percentage of the beam energy that is deposited in the indicated depth interval.

**Energy Deposition as a Function of Depth in Copper**

Scaled depth interval	Beam energy, MeV						
	60	40	20	10	5	2	1
0.0 - 0.05	2.23	2.66	3.48	4.41	5.62	7.12	7.61
0.05 - 0.10	2.47	2.95	3.90	5.31	7.37	9.70	10.73
0.10 - 0.15	2.64	3.13	4.32	6.16	8.68	11.33	12.01
0.15 - 0.20	2.84	3.42	4.65	6.84	9.56	11.43	11.63
0.20 - 0.25	3.02	3.60	5.06	7.50	9.67	10.56	10.54
0.25 - 0.30	3.20	3.75	5.40	7.81	9.32	9.38	9.04
0.30 - 0.35	3.36	3.96	5.64	7.74	8.55	7.82	7.37
0.35 - 0.40	3.44	4.04	5.78	7.42	7.62	6.28	5.43
0.40 - 0.45	3.60	4.16	5.84	6.80	6.38	4.87	4.18
0.45 - 0.50	3.55	4.13	5.57	6.05	5.16	3.45	2.87
0.50 - 0.55	3.55	4.11	5.08	5.19	3.94	2.44	1.87
0.55 - 0.60	3.41	3.83	4.69	4.13	2.85	1.52	1.07
0.60 - 0.65	3.33	3.60	4.08	3.32	1.88	0.91	0.58
0.65 - 0.70	3.14	3.42	3.45	2.42	1.18	0.41	0.27
0.70 - 0.75	2.94	3.08	2.86	1.73	0.65	0.17	0.08
0.75 - 0.80	2.76	2.78	2.24	1.12	0.33	0.06	0.03
0.80 - 0.85	2.58	2.41	1.73	0.70	0.14	0.02	0.02
0.85 - 0.90	2.33	2.01	1.24	0.36	0.08	0.02	0.00
0.90 - 0.95	2.15	1.72	0.92	0.19	0.03	0.01	0.00
0.95 - 1.00	1.86	1.44	0.65	0.14	0.04	0.01	0.00
1.00 - 1.05	1.70	1.25	0.41	0.10	0.03	0.01	0.00
1.05 - 1.10	1.52	1.06	0.33	0.09	0.03	0.00	0.00
1.10 - 1.15	1.37	0.93	0.27	0.08	0.02	0.01	0.00
1.15 - 1.20	1.19	0.84	0.23	0.10	0.03	0.00	0.00
1.20 - 1.25	1.03	0.74	0.20	0.08	0.02	0.00	0.00
1.25 - 1.30	0.94	0.63	0.20	0.07	0.03	0.00	0.00
1.30 - 1.35	0.89	0.57	0.19	0.06	0.01	0.00	0.00
1.35 - 1.40	0.79	0.55	0.17	0.05	0.02	0.00	0.00
1.40 - 1.45	0.76	0.55	0.17	0.05	0.02	0.00	0.00
1.45 - 1.50	0.70	0.53	0.19	0.06	0.02	0.00	0.00
1.50 - 1.55	0.66	0.52	0.17	0.06	0.02	0.00	0.00
1.55 - 1.60	0.61	0.47	0.16	0.05	0.01	0.00	0.00
1.60 - 1.65	0.60	0.45	0.16	0.05	0.01	0.00	0.00
1.65 - 1.70	0.60	0.43	0.14	0.05	0.01	0.00	0.0
1.70 - 1.75	0.59	0.40	0.14	0.04	0.01	0.00	0.00
1.75 - 1.80	0.55	0.38	0.14	0.03	0.01	0.00	0.00
1.80 - 1.85	0.53	0.38	0.14	0.04	0.01	0.00	0.00
1.85 - 1.90	0.55	0.34	0.15	0.04	0.01	0.00	0.00
1.90 - 1.95	0.52	0.33	0.15	0.03	0.01	0.00	0.00
1.95 - 2.00	0.48	0.30	0.13	0.02	0.01	0.00	0.00

TABLE 3A. Normalized cumulative radial distribution of deposited energy in aluminum. The numbers in the column headed "Scaled radius" represent the scaled radial distance from the z-axis,  $\rho/r_0$ . The "Scaled depth intervals" have the same meaning as in Table 2A. The entries for each depth interval are the quantities  $\psi_n(\rho)$  as defined by Eq (3). The percentage of the incident beam energy deposited in the indicated depth interval, at radial distances  $\leq \rho$ , is equal to  $H_n \psi_n(\rho)/100$ , where  $H_n$  is given in Table 2A.

TABLE 3A

Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 60 MeV

TABLE 3A. Continued

## Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 60 MeV

Scaled radius	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	0.99	1.00	1.05	1.10	1.15	1.20
0.005	0.22	0.17	0.12	0.11	0.10	0.10	0.10	0.11	0.11	0.10	0.09	0.20	0.14	0.06
0.010	0.82	0.67	0.58	0.49	0.47	0.47	0.47	0.35	0.35	0.32	0.29	0.49	0.41	0.35
0.015	2.03	1.58	1.34	1.08	0.92	0.67	0.77	0.62	0.62	0.70	0.83	0.89	0.61	0.61
0.020	3.57	2.61	2.29	1.72	1.46	1.25	1.12	1.11	1.11	1.18	1.26	1.38	1.12	1.12
0.025	5.38	3.92	3.52	2.65	2.20	1.86	1.68	1.74	1.78	1.90	2.03	1.80	1.80	1.80
0.030	7.38	5.70	4.96	3.74	2.97	2.75	2.42	2.52	2.40	2.67	2.76	2.43	2.43	2.43
0.035	9.58	7.78	6.45	4.99	4.05	3.77	3.32	3.29	3.29	3.34	3.54	3.03	3.03	3.03
0.040	12.02	9.71	8.05	6.46	5.34	4.86	4.19	4.03	4.18	4.21	4.28	3.75	3.75	3.75
0.045	14.65	12.05	9.79	7.95	6.59	5.99	5.35	4.91	5.21	5.23	5.06	4.75	4.75	4.75
0.050	17.47	14.23	11.79	9.74	7.94	7.21	6.58	5.88	6.24	6.18	6.23	5.75	5.75	5.75
0.060	23.49	19.24	16.01	13.53	11.02	9.71	8.98	8.08	8.46	8.14	8.51	8.13	8.13	8.13
0.070	29.85	24.98	20.49	17.48	14.73	12.73	11.78	10.63	10.82	10.72	10.71	10.42	10.42	10.42
0.080	35.74	30.72	25.33	21.84	18.29	15.94	14.64	13.23	13.24	13.03	12.98	12.64	12.64	12.64
0.090	42.44	36.34	30.31	26.32	22.19	19.38	17.89	16.08	15.82	15.73	15.60	15.53	15.53	15.53
0.100	48.45	41.87	35.56	30.52	26.39	22.78	21.06	19.09	19.09	18.65	18.37	18.24	18.23	18.23
0.110	53.97	46.98	40.49	35.01	30.43	26.60	24.09	22.03	21.56	21.24	21.29	21.49	21.49	21.49
0.120	58.89	45.44	39.59	34.75	30.29	27.47	24.98	24.08	24.08	24.15	24.05	24.32	24.32	24.32
0.130	63.47	56.29	45.91	39.00	34.00	30.90	28.07	28.07	28.07	27.26	26.68	26.94	26.94	26.94
0.140	67.57	60.47	54.13	48.29	42.94	37.83	34.57	31.65	29.66	29.92	29.33	29.56	29.56	29.56
0.150	71.40	64.31	58.07	52.16	47.23	41.81	37.94	34.95	33.00	32.63	31.99	32.32	32.32	32.32
0.160	74.94	67.79	61.88	55.85	51.11	45.57	41.42	37.91	36.26	35.51	34.99	35.20	35.20	35.20
0.170	77.90	71.09	65.20	59.35	54.59	49.05	44.68	41.18	39.26	38.27	37.77	38.03	38.03	38.03
0.180	80.51	74.10	68.18	62.69	58.02	52.31	48.00	44.54	42.83	41.25	40.50	40.59	40.59	40.59
0.190	82.65	76.70	71.00	65.84	61.19	55.77	51.25	47.64	45.97	44.30	43.39	43.43	43.43	43.43
0.200	84.56	79.28	73.44	68.56	63.96	58.87	54.36	50.65	48.82	47.21	46.30	46.26	46.26	46.26
0.220	87.43	83.01	78.24	73.56	68.84	64.08	59.88	56.29	54.59	52.28	51.47	51.47	51.47	51.47
0.240	89.87	86.08	82.08	77.87	73.53	68.56	65.35	61.75	60.06	57.37	56.54	56.17	56.17	56.17
0.260	91.65	88.54	84.95	81.68	77.50	73.03	70.49	66.47	64.96	62.62	61.09	61.06	61.06	61.06
0.280	93.12	90.40	87.43	84.88	81.15	76.51	74.46	70.68	69.29	67.69	65.92	65.57	65.57	65.57
0.300	94.16	92.00	89.49	87.27	84.28	79.69	77.88	74.37	73.20	71.56	69.87	70.30	70.30	70.30
0.320	95.08	93.28	91.08	89.38	86.76	82.52	81.16	77.89	76.49	74.99	73.40	74.13	74.13	74.13
0.340	95.77	94.38	92.41	91.19	88.90	85.18	83.83	80.77	79.62	78.08	76.63	77.45	77.45	77.45
0.360	96.37	95.23	93.59	92.70	90.57	87.20	86.08	83.13	82.44	80.90	79.45	80.29	80.29	80.29
0.380	96.93	95.97	94.50	93.90	92.04	89.06	88.14	85.50	84.89	83.45	81.78	82.36	82.36	82.36
0.400	97.38	96.67	95.26	94.90	93.36	90.52	89.75	87.64	86.93	85.92	84.37	84.35	84.35	84.35
0.420	97.71	97.28	95.91	95.68	94.41	91.95	89.42	88.88	87.73	86.45	86.45	86.45	86.45	86.45
0.440	97.99	97.71	96.52	95.25	93.17	92.55	90.94	90.55	89.32	87.75	88.10	88.50	88.50	88.50
0.460	98.20	97.97	97.03	96.78	95.89	94.10	93.73	92.07	91.80	90.50	89.10	89.50	89.50	89.50
0.480	98.39	98.29	97.49	97.21	96.45	94.85	94.70	93.16	92.94	91.83	90.34	90.73	90.73	90.73
0.500	98.57	98.52	97.76	97.58	97.04	95.48	95.44	94.08	93.98	92.96	91.53	91.92	91.92	91.92
0.550	98.97	98.93	98.38	98.05	96.86	97.92	98.03	97.24	96.94	95.71	94.93	94.32	94.32	94.32
0.600	99.25	98.75	98.86	98.73	99.16	99.18	98.56	98.72	98.35	97.81	96.51	96.35	95.69	95.69
0.650	99.38	99.50	99.06	99.27	99.41	99.40	99.07	99.12	98.87	98.46	98.23	97.51	97.51	97.51
0.700	99.52	99.66	99.27	99.46	99.55	99.43	99.40	99.22	98.92	98.65	98.49	98.15	98.15	98.15
0.750	99.64	99.72	99.46	99.56	99.67	99.66	99.65	99.59	99.44	99.17	98.94	98.85	98.72	98.72
0.800	99.76	99.84	99.63	99.67	99.77	99.76	99.76	99.71	99.67	99.40	99.24	99.16	99.05	99.05
0.850	99.85	99.89	99.83	99.87	99.88	99.84	99.88	99.81	99.81	99.59	99.52	99.52	99.52	99.52
0.900	99.91	99.93	99.93	99.93	99.95	99.91	99.95	99.93	99.93	99.81	99.81	99.81	99.81	99.81
0.950	99.96	99.96	99.96	99.96	99.95	99.95	99.95	99.95	99.95	99.93	99.93	99.93	99.93	99.93
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3A. Continued

## Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 40 MeV

	0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55
Scaled radius	94.21	69.35	25.42	9.26	3.89	2.25	1.16	0.62	0.52	0.34	0.22	0.14
0.005	96.71	89.12	73.31	52.34	28.27	15.98	9.72	5.74	3.99	2.95	1.74	0.64
0.010	97.75	95.12	88.80	79.36	44.05	26.08	15.95	10.20	6.93	5.25	3.38	1.31
0.015	98.24	96.62	92.07	57.11	36.55	23.47	15.70	10.69	7.07	5.16	3.22	2.22
0.020	98.89	96.69	93.66	86.01	67.69	47.07	31.49	21.50	14.77	10.49	7.31	3.65
0.025	99.11	97.27	94.80	89.68	75.37	56.11	39.38	27.52	19.19	14.07	9.95	7.09
0.030	99.22	97.67	95.60	91.94	80.93	64.32	46.60	33.63	24.21	17.78	12.82	9.19
0.035	99.30	97.95	96.17	93.38	85.06	70.33	53.69	39.92	29.30	21.40	15.73	11.41
0.040	99.35	98.14	96.64	94.32	87.93	75.60	59.74	45.65	34.17	25.27	18.83	13.77
0.045	99.40	98.52	98.73	97.86	96.59	93.18	87.60	77.64	64.95	52.86	41.17	24.86
0.050	99.45	98.56	98.91	98.23	97.27	94.48	90.41	82.96	72.00	60.63	48.68	30.49
0.060	99.52	99.61	99.06	98.45	97.77	95.42	92.30	86.57	77.71	67.08	55.74	35.99
0.070	99.56	99.63	99.15	98.62	97.98	96.11	93.59	89.23	81.88	72.69	61.84	45.47
0.080	99.60	99.65	99.22	98.74	98.27	96.66	94.54	91.14	84.84	76.98	67.00	57.23
0.090	99.64	99.68	99.31	98.94	98.46	97.06	95.28	92.41	87.29	80.59	71.71	62.27
0.100	99.67	99.69	99.36	99.04	98.76	97.50	95.87	93.51	89.09	83.41	75.44	66.43
0.110	99.69	99.71	99.42	99.17	98.97	98.21	97.08	95.59	92.76	88.28	81.40	73.71
0.120	99.71	99.74	99.44	99.28	99.03	98.36	97.31	96.05	93.52	89.94	85.59	79.15
0.130	99.74	99.78	99.48	99.30	99.08	98.50	97.57	96.44	94.14	90.90	87.73	81.61
0.140	99.76	99.79	99.51	99.32	99.12	98.62	97.78	96.63	91.78	88.43	83.54	76.44
0.150	99.78	99.81	99.53	99.35	99.15	98.70	98.02	97.07	95.10	92.57	89.52	85.23
0.160	99.79	99.82	99.54	99.37	99.17	98.71	98.06	97.08	95.59	92.76	88.78	83.69
0.170	99.79	99.81	99.54	99.38	99.23	98.67	97.31	96.05	93.52	89.94	85.59	79.15
0.180	99.79	99.81	99.54	99.38	99.30	98.60	97.57	96.44	94.14	90.90	87.73	81.61
0.190	99.79	99.82	99.54	99.38	99.32	98.62	97.78	96.63	91.78	88.43	83.54	76.44
0.200	99.79	99.82	99.54	99.38	99.35	98.70	98.02	97.07	95.10	92.57	89.52	85.23
0.220	99.72	99.55	99.40	99.20	98.84	98.33	97.49	95.88	93.81	91.51	87.75	82.42
0.240	99.73	99.57	99.43	99.25	98.94	98.53	97.88	96.47	94.72	92.86	89.85	85.49
0.260	99.74	99.59	99.47	99.29	99.05	98.72	98.13	96.91	94.50	92.13	89.57	87.92
0.280	99.75	99.62	99.51	99.35	99.15	98.89	98.33	97.28	96.11	95.50	92.73	89.98
0.300	99.76	99.63	99.55	99.41	99.23	99.01	98.50	97.52	96.62	95.69	93.72	91.52
0.320	99.77	99.64	99.57	99.45	99.29	99.09	98.65	97.73	97.06	96.21	94.67	92.84
0.340	99.78	99.65	99.61	99.47	99.36	99.15	98.76	97.94	97.42	96.66	95.40	93.83
0.360	99.79	99.67	99.64	99.49	99.43	99.23	98.83	98.15	97.72	97.07	95.89	94.68
0.380	99.80	99.68	99.66	99.47	99.30	98.92	98.34	97.94	97.37	96.31	95.31	95.31
0.400	99.81	99.69	99.67	99.53	99.50	99.33	99.01	98.50	98.13	97.72	96.66	95.87
0.420	99.83	99.70	99.70	99.56	99.53	99.42	99.10	98.62	98.32	98.00	97.05	96.37
0.440	99.83	99.71	99.71	99.57	99.55	99.46	99.19	98.79	98.49	98.21	97.44	96.79
0.460	99.84	99.73	99.72	99.59	99.57	99.50	99.24	98.91	98.63	98.43	97.73	97.16
0.480	99.85	99.74	99.74	99.60	99.59	99.53	99.31	99.06	98.78	98.63	97.98	97.54
0.500	99.85	99.75	99.75	99.62	99.62	99.57	99.37	99.17	98.90	98.79	98.20	97.90
0.550	99.87	99.79	99.77	99.66	99.70	99.67	99.50	99.33	99.21	99.08	98.67	98.57
0.600	99.88	99.83	99.82	99.68	99.68	99.74	99.60	99.47	99.42	99.30	99.01	99.00
0.650	99.89	99.86	99.86	99.75	99.81	99.79	99.72	99.63	99.59	99.49	99.23	99.35
0.700	99.90	99.88	99.88	99.80	99.84	99.86	99.78	99.73	99.69	99.63	99.42	99.58
0.750	99.92	99.90	99.92	99.85	99.88	99.91	99.82	99.80	99.77	99.80	99.58	99.72
0.800	99.93	99.94	99.94	99.94	99.94	99.93	99.93	99.88	99.84	99.88	99.72	99.82
0.850	99.95	99.95	99.95	99.95	99.95	99.95	99.95	99.95	99.95	99.95	99.87	99.91
0.900	99.96	99.97	99.97	99.97	99.97	99.96	99.96	99.96	99.96	99.96	99.92	99.95
0.950	99.99	99.99	99.99	99.99	99.99	99.98	99.98	99.98	99.98	99.98	99.97	99.98
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3A. Continued

## Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 20 MeV

Scaled radius	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15
0.005	0.07	0.04	0.05	0.02	0.06	0.14	0.14	0.16	0.12	0.15	0.14	0.02
0.010	0.20	0.18	0.17	0.02	0.06	0.26	0.24	0.35	0.32	0.26	0.14	0.02
0.015	0.48	0.38	0.33	0.05	0.18	0.43	0.45	0.57	0.52	0.55	0.54	0.03
0.020	0.82	0.67	0.55	0.05	0.83	0.59	0.70	0.67	0.92	0.82	0.78	0.24
0.025	1.24	1.05	0.83	0.05	1.48	0.93	1.01	0.95	1.30	1.21	1.13	0.47
0.030	1.82	1.48	1.18	0.05	2.44	1.93	1.43	1.50	1.25	1.62	1.40	0.63
0.035	2.44	2.13	1.93	1.54	2.57	2.15	1.97	1.98	1.61	2.04	2.22	0.78
0.040	3.13	3.06	3.33	2.52	3.96	2.73	2.45	2.45	2.10	2.47	2.84	1.34
0.045	4.03	3.95	3.39	3.08	4.85	3.09	3.08	2.55	3.01	3.40	3.63	2.14
0.050	5.00	4.98	5.60	4.83	6.83	4.40	4.22	4.22	3.55	4.25	4.78	5.41
0.060	6.00	6.00	7.50	6.65	6.17	5.66	4.90	5.90	6.71	7.24	7.44	8.66
0.070	7.32	9.99	9.76	8.69	7.93	7.29	6.34	7.67	8.76	9.70	9.93	6.82
0.080	11.99	14.79	11.97	10.95	9.86	9.22	8.30	9.73	10.92	12.20	12.20	4.08
0.090	14.79	17.92	14.63	13.19	12.1	11.34	10.26	11.87	12.88	11.83	14.47	5.17
0.100	21.04	17.04	17.17	15.73	14.24	13.54	12.13	14.34	15.81	16.59	19.19	6.51
0.110	24.05	19.72	19.72	18.17	16.39	15.81	14.49	16.79	17.34	19.85	22.40	10.40
0.120	27.11	22.43	20.79	18.63	18.40	18.77	19.61	20.00	22.59	25.33	17.13	13.25
0.130	30.13	25.29	23.57	21.20	20.78	19.26	22.27	22.68	25.27	28.34	19.67	15.94
0.140	33.22	27.97	26.21	23.76	23.14	21.97	21.97	25.05	25.33	27.89	30.94	17.53
0.150	36.34	30.81	28.95	26.30	25.87	24.65	24.65	27.93	28.03	30.26	33.69	22.59
0.160	39.34	33.67	33.67	31.81	29.11	28.55	28.55	30.74	30.93	32.76	36.87	24.59
0.170	42.27	36.53	36.53	34.71	31.65	31.34	30.32	33.45	33.46	35.77	39.74	26.47
0.180	45.32	39.47	39.47	37.34	34.66	34.18	32.89	35.61	35.78	38.80	41.77	28.46
0.190	48.14	42.21	42.21	40.16	37.21	36.78	35.49	38.78	38.78	41.56	44.36	28.59
0.200	53.72	47.65	45.27	42.63	42.00	42.67	46.56	46.44	46.71	47.79	49.11	34.78
0.220	58.66	52.89	50.21	48.00	55.36	53.21	53.21	55.55	52.36	53.71	54.76	39.20
0.240	63.32	58.00	58.00	56.08	58.63	58.74	58.74	57.19	57.59	58.94	59.71	42.56
0.260	67.51	62.59	60.80	64.75	63.38	63.50	62.66	65.94	62.34	63.64	63.84	45.99
0.280	71.22	66.80	70.92	68.83	67.56	67.80	67.69	70.52	71.95	71.80	68.69	49.50
0.300	74.72	70.44	72.65	71.44	72.65	71.72	72.30	74.64	76.01	76.02	71.38	52.97
0.320	78.05	74.44	72.65	71.44	72.65	71.72	72.30	74.64	76.01	76.02	74.44	55.61
0.340	80.82	77.71	76.05	75.01	75.45	76.50	76.50	78.64	79.75	79.90	79.85	58.35
0.360	83.18	80.90	79.23	78.16	78.61	80.25	80.25	82.37	83.16	82.99	82.97	60.15
0.380	85.39	83.50	82.15	81.29	81.62	83.50	83.50	85.22	86.38	85.44	81.90	70.37
0.400	87.28	85.80	84.89	84.13	84.50	86.15	86.15	87.86	88.16	87.86	84.13	65.82
0.420	89.15	88.00	87.20	86.71	86.92	88.27	88.27	90.14	91.17	89.77	85.53	75.70
0.440	90.73	89.91	89.26	88.72	89.24	90.49	90.49	91.95	92.68	91.36	87.96	78.87
0.460	92.15	91.53	91.08	90.59	91.23	92.44	92.44	93.50	93.94	93.05	90.16	81.15
0.480	93.44	92.93	92.65	92.25	92.89	94.01	94.01	94.76	95.05	94.02	91.45	72.81
0.500	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3A. Continued

### Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 10 MeV

TABLE 3A. Continued

## Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 10 MeV

	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20
Scaled radius	0.005	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22	0.24
0.005	0.005	0.13	0.14	0.15	0.16	0.17	0.18	0.19	0.20	0.21	0.22	0.23	0.24
0.010	0.010	0.20	0.22	0.24	0.26	0.28	0.30	0.32	0.34	0.36	0.38	0.40	0.42
0.015	0.015	0.28	0.30	0.32	0.34	0.36	0.38	0.40	0.42	0.44	0.46	0.48	0.50
0.020	0.020	0.52	0.54	0.56	0.58	0.60	0.62	0.64	0.66	0.68	0.70	0.72	0.74
0.025	0.025	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81
0.030	0.030	1.17	0.97	1.06	0.97	0.90	1.60	1.37	1.65	1.50	1.02	1.03	1.02
0.035	0.035	1.47	1.35	1.50	1.35	1.20	2.11	1.69	1.98	1.90	1.90	1.90	1.90
0.040	0.040	1.88	1.78	1.96	1.68	1.65	2.70	2.39	2.52	2.15	1.41	1.41	1.41
0.045	0.045	2.31	2.18	2.33	2.11	2.06	3.26	3.02	3.17	2.99	1.56	1.56	1.56
0.050	0.050	2.87	2.59	2.81	2.59	2.71	4.14	3.82	3.62	3.47	2.65	2.65	2.65
0.060	0.060	4.03	3.52	4.00	3.82	4.00	4.17	5.56	5.34	5.15	4.58	4.58	4.58
0.070	0.070	5.56	4.82	5.08	5.40	5.71	7.16	6.96	7.49	5.46	5.40	5.40	5.40
0.080	0.080	7.13	6.28	6.41	6.83	7.48	9.21	8.90	9.59	7.63	7.82	7.82	7.82
0.090	0.090	8.72	7.80	8.01	8.55	9.41	11.56	10.83	11.08	9.08	9.51	9.51	9.51
0.100	0.100	10.63	9.58	9.73	10.35	11.6	13.90	13.32	13.09	11.11	11.34	11.34	11.34
0.110	0.110	12.90	11.74	11.77	12.29	13.0	16.32	15.84	15.66	14.85	12.55	12.55	12.55
0.120	0.120	15.15	14.02	14.09	14.56	15.10	18.21	18.57	18.67	17.98	14.33	14.33	14.33
0.130	0.130	17.31	16.16	16.40	16.90	17.28	20.80	21.04	22.39	20.99	15.87	15.87	15.87
0.140	0.140	19.77	18.38	18.51	19.19	19.66	23.16	24.20	25.11	23.80	17.24	15.85	15.85
0.150	0.150	22.17	20.66	20.92	21.54	22.19	25.60	27.29	27.56	25.63	18.29	16.85	16.85
0.160	0.160	24.68	22.90	23.29	24.29	24.84	28.16	30.83	30.04	28.22	18.59	17.87	17.87
0.170	0.170	27.49	25.51	25.79	26.90	27.48	30.77	34.20	34.20	32.66	31.16	19.58	18.42
0.180	0.180	30.30	28.19	28.44	29.63	30.48	33.72	37.35	36.74	34.36	21.34	18.51	16.80
0.190	0.190	32.98	30.67	30.99	32.23	33.26	36.86	40.58	40.52	38.66	23.13	19.18	19.02
0.200	0.200	35.80	33.21	33.48	34.87	36.35	39.93	43.47	44.47	42.97	25.38	20.40	19.83
0.220	0.220	41.30	38.91	38.85	44.48	46.12	47.74	52.88	55.67	57.70	54.66	54.66	54.66
0.240	0.240	46.51	49.63	49.63	51.37	51.56	53.87	59.04	61.28	62.50	59.33	59.33	59.33
0.260	0.260	51.37	56.13	54.45	55.22	56.97	58.94	64.31	66.20	68.18	63.70	63.70	63.70
0.280	0.280	56.13	59.39	60.41	62.29	63.86	63.86	69.54	71.22	72.91	67.74	67.74	67.74
0.300	0.300	60.48	59.39	59.39	65.43	67.37	68.84	73.75	76.45	77.52	70.61	70.61	70.61
0.320	0.320	65.02	63.93	63.93	70.05	71.91	73.88	77.56	80.24	81.75	74.02	74.02	74.02
0.340	0.340	69.08	68.29	68.29	74.35	76.17	78.02	81.31	83.48	84.14	76.87	76.87	76.87
0.360	0.360	72.98	72.21	72.21	74.35	76.17	78.02	81.81	84.54	87.40	79.40	79.40	79.40
0.380	0.380	76.74	76.19	78.20	80.01	81.85	84.54	87.40	87.40	86.43	79.40	79.40	79.40
0.400	0.400	80.15	79.73	81.61	83.50	85.19	87.84	90.18	88.52	82.98	63.78	63.78	63.78
0.420	0.420	83.24	82.86	84.56	86.60	88.69	90.54	92.20	90.12	84.44	65.83	65.83	65.83
0.440	0.440	85.76	85.75	87.36	88.93	89.30	90.53	92.85	93.51	91.98	84.90	67.44	67.44
0.460	0.460	88.38	88.56	89.69	91.45	92.62	94.52	94.96	93.04	85.76	68.99	68.99	68.99
0.480	0.480	90.54	90.66	91.90	93.40	94.48	95.78	95.86	93.90	86.34	69.74	69.74	69.74
0.500	0.500	92.35	92.59	93.53	94.84	95.84	96.57	96.58	94.22	86.68	71.64	65.79	65.79
0.550	0.550	95.94	96.02	96.64	97.41	97.89	98.06	98.61	94.97	88.29	76.17	73.05	73.05
0.600	0.600	97.96	98.02	98.37	99.11	99.28	99.36	98.95	98.39	89.74	83.47	80.88	80.88
0.650	0.650	99.22	99.67	99.76	99.47	99.74	99.28	99.13	97.26	92.84	86.43	85.06	83.07
0.700	0.700	99.73	99.88	99.89	99.55	99.80	99.65	99.46	99.24	98.31	91.71	94.78	90.16
0.750	0.750	99.95	99.90	99.90	99.83	99.69	99.62	99.42	98.50	96.23	91.52	94.52	90.20
0.800	0.800	99.98	99.92	99.93	99.88	99.91	99.77	99.72	99.63	99.46	96.73	96.73	96.73
0.850	0.850	99.98	99.94	99.96	99.87	99.87	99.82	99.75	99.70	98.00	97.74	97.96	95.53
0.900	0.900	99.99	99.99	99.98	99.95	99.95	99.88	99.84	99.82	99.74	99.19	99.44	99.44
0.950	0.950	100.00	99.99	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.000	1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3A. Continued

Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 5 MeV											
	0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50
Scaled radius	83.30	24.56	3.28	1.06	0.44	0.20	0.08	0.08	0.06	0.04	0.04
0.005	88.15	53.29	13.07	4.19	1.57	0.78	0.40	0.30	0.14	0.15	0.13
0.010	89.68	68.50	25.59	8.79	3.65	1.62	0.89	0.68	0.36	0.33	0.27
0.015	90.52	77.19	38.00	14.43	6.36	2.98	1.55	1.20	0.71	0.66	0.58
0.020	91.09	81.21	49.10	20.82	9.54	4.42	2.65	1.84	1.13	1.03	0.83
0.025	91.47	83.63	57.77	27.43	12.98	6.35	3.74	2.65	1.75	1.45	1.18
0.030	91.77	85.09	64.60	33.88	16.53	8.34	4.99	3.47	2.44	1.97	1.65
0.035	92.02	86.07	69.33	40.22	20.31	10.62	6.40	4.47	3.12	2.58	2.27
0.040	92.19	86.74	72.58	45.70	24.71	13.03	8.00	5.46	3.93	3.13	2.79
0.045	92.31	87.30	75.20	50.43	28.87	15.61	9.63	6.59	4.75	3.88	3.38
0.050	92.51	88.11	78.69	57.54	36.60	20.93	12.84	9.11	6.66	5.46	4.64
0.060	92.70	88.70	80.92	63.50	43.36	26.67	16.79	11.68	8.57	7.18	6.11
0.070	92.83	89.15	82.33	67.81	49.14	32.02	20.91	14.67	10.80	8.98	7.67
0.080	92.97	89.46	83.34	70.93	53.84	36.94	24.88	17.79	13.19	10.96	9.24
0.090	93.09	89.65	84.10	73.14	58.21	41.34	28.92	21.01	15.78	13.01	11.17
0.100	93.15	89.87	84.75	75.13	61.67	45.31	32.67	24.20	18.24	15.19	13.00
0.110	93.30	90.08	85.29	76.32	64.51	48.84	36.39	27.35	20.80	17.40	14.88
0.120	93.40	90.34	86.14	77.55	66.98	52.04	39.80	30.71	23.60	19.05	15.55
0.130	93.51	90.52	86.14	78.60	69.04	54.92	43.00	34.03	26.41	22.08	17.62
0.140	93.63	90.68	86.48	79.41	70.89	57.38	45.82	37.24	29.31	24.64	21.37
0.150	93.73	90.83	86.78	80.16	72.51	59.76	48.65	39.96	32.10	27.08	23.76
0.160	93.83	90.96	87.06	80.85	73.85	61.92	51.24	42.73	34.84	29.60	26.18
0.170	93.93	91.10	87.29	81.42	74.93	63.90	53.76	45.39	37.48	32.18	28.56
0.180	93.97	91.27	87.54	81.96	76.01	65.42	55.88	48.03	40.14	34.77	30.90
0.190	94.06	91.39	87.73	82.34	76.95	67.15	57.81	50.37	42.70	37.41	33.36
0.200	94.06	91.39	87.73	82.34	76.95	67.15	57.81	50.37	42.70	37.41	33.36
0.220	94.28	91.52	88.15	83.34	78.50	69.98	61.67	54.81	47.84	42.34	37.37
0.240	94.47	91.78	88.61	84.10	80.00	72.35	64.98	59.00	52.49	47.37	43.26
0.260	94.62	92.06	89.14	84.84	81.42	74.58	67.87	62.81	56.91	52.21	47.03
0.280	94.81	92.35	89.65	85.55	82.54	76.45	70.63	66.41	60.63	56.75	51.75
0.300	95.04	92.81	90.04	86.30	83.77	78.23	73.18	69.33	64.45	59.33	52.68
0.320	95.38	93.12	90.58	87.17	84.93	79.86	75.58	72.33	67.93	61.01	56.34
0.340	95.62	93.33	91.08	87.89	85.99	81.49	77.89	74.89	70.95	68.92	61.11
0.360	95.87	93.72	91.69	88.72	88.70	83.09	79.96	77.34	74.09	72.16	65.69
0.380	96.08	94.07	92.26	89.53	88.15	84.69	82.06	79.76	77.09	75.27	74.24
0.400	96.37	94.53	92.82	90.45	89.28	86.25	83.94	82.03	79.91	78.31	77.67
0.420	96.65	94.95	93.48	91.38	90.35	87.70	85.73	84.16	82.31	81.12	80.57
0.440	96.91	95.42	94.05	92.21	91.35	89.18	87.33	86.16	84.81	83.54	83.43
0.460	97.12	95.84	94.53	93.07	92.27	90.48	88.96	88.05	87.07	85.90	86.05
0.480	97.45	96.23	95.11	93.88	93.11	91.60	90.46	89.78	89.02	88.22	88.91
0.500	97.69	96.67	95.69	94.63	94.00	92.76	91.83	91.44	90.66	90.33	90.47
0.550	98.31	97.60	97.06	96.39	95.85	95.11	94.75	94.69	94.15	94.39	94.72
0.600	98.91	98.49	98.07	97.25	97.00	97.04	97.22	96.79	97.14	97.36	95.36
0.650	99.36	99.17	98.90	98.57	98.39	98.44	98.53	98.36	98.73	98.86	99.00
0.700	99.68	99.63	99.33	99.41	99.27	99.28	99.18	99.30	99.26	99.47	99.52
0.750	99.82	99.84	99.71	99.79	99.73	99.69	99.68	99.77	99.77	99.85	99.82
0.800	99.90	99.94	99.93	99.91	99.88	99.90	99.86	99.93	99.95	99.97	99.91
0.850	99.98	99.99	99.97	99.99	99.99	99.98	99.97	99.98	99.99	99.99	99.96
0.900	99.98	99.99	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
0.950	99.99	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3A. Continued

Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 5 MeV										
Scaled radius	Scaled depth interval			0.85			0.95			1.00
	0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20	
0.005	0.05	0.02	0.03	0.03	0.10	0.15	0.0	0.0	0.0	0.0
0.010	0.11	0.09	0.09	0.08	0.19	0.30	0.62	0.62	0.62	0.0
0.015	0.24	0.23	0.20	0.24	0.40	0.55	1.28	1.28	1.28	0.0
0.020	0.40	0.38	0.34	0.41	0.63	0.73	1.56	1.56	1.56	0.0
0.025	0.61	0.63	0.55	0.60	0.88	1.08	1.11	1.11	1.11	0.0
0.030	0.85	0.97	0.72	0.79	1.14	1.32	1.35	1.35	1.35	0.0
0.035	1.19	1.31	1.02	0.91	1.48	1.74	2.10	2.02	2.02	0.0
0.040	1.56	1.81	1.36	1.15	2.01	2.20	2.71	2.02	2.02	0.0
0.045	1.99	2.29	1.83	1.52	2.33	2.60	3.19	3.33	3.33	0.0
0.050	2.52	2.78	2.22	2.00	2.83	3.51	4.18	4.44	4.44	0.0
0.060	3.60	3.81	3.23	3.33	4.05	5.22	6.19	5.46	5.46	0.0
0.070	4.83	5.32	4.46	4.91	5.53	7.15	8.97	6.64	6.64	0.0
0.080	6.20	6.81	5.78	6.32	6.93	9.35	11.26	8.51	8.51	0.0
0.090	7.76	8.05	7.38	8.12	8.84	11.84	13.33	10.17	10.17	0.0
0.100	9.43	9.82	9.25	9.68	11.16	14.43	15.93	11.73	11.73	0.0
0.110	11.09	11.62	11.10	11.60	13.07	16.73	18.92	14.45	14.45	0.0
0.120	12.96	13.47	13.11	13.74	14.92	19.16	21.43	16.64	16.64	0.0
0.130	15.09	15.64	15.17	15.98	17.12	22.20	23.79	19.09	19.09	0.0
0.140	17.22	17.83	17.38	18.32	19.78	25.32	26.69	23.58	23.58	0.0
0.150	19.36	20.12	19.93	20.89	22.48	27.94	30.25	27.91	27.91	0.0
0.160	21.69	22.38	22.29	23.60	25.38	30.34	35.49	30.27	30.27	0.0
0.170	23.98	24.81	24.95	26.64	28.42	33.65	39.39	33.15	33.15	0.0
0.180	26.43	27.18	27.58	29.46	31.63	36.40	42.06	34.24	34.24	0.0
0.190	28.93	29.91	30.49	32.32	34.73	39.57	44.57	34.87	34.87	0.0
0.200	31.58	32.58	33.44	35.59	38.17	42.48	47.25	36.48	36.48	0.0
0.220	37.16	39.14	41.39	44.32	49.99	54.31	64.84	44.43	44.43	0.0
0.240	42.48	43.10	44.97	47.16	50.16	56.75	60.58	53.43	51.42	0.0
0.260	47.80	48.38	50.56	52.78	56.68	63.89	65.09	59.80	54.95	0.0
0.280	52.56	53.47	55.92	58.57	62.97	70.40	72.30	67.16	59.49	0.0
0.300	57.45	58.96	60.91	63.85	68.25	75.04	76.45	71.32	61.79	0.0
0.320	62.19	64.12	65.77	69.00	73.81	78.83	80.68	73.20	64.33	0.0
0.340	66.74	68.81	70.70	73.68	78.10	82.50	85.74	76.03	66.29	0.0
0.360	70.85	73.02	75.75	77.90	81.95	86.19	88.71	77.94	67.52	0.0
0.380	74.87	76.98	80.26	81.62	85.70	89.34	90.19	82.11	69.79	0.0
0.400	78.61	80.62	83.89	84.92	89.02	92.37	92.30	84.67	71.60	0.0
0.420	82.36	84.01	86.97	87.95	91.94	94.25	93.67	84.95	73.46	0.0
0.440	85.48	86.97	89.44	90.69	94.24	95.78	94.32	85.16	78.99	0.0
0.460	87.99	89.66	91.57	92.53	95.59	97.00	95.75	85.16	79.55	0.0
0.480	90.38	91.85	93.57	94.12	96.57	97.84	97.13	85.39	81.39	0.0
0.500	92.33	93.75	95.06	95.31	97.19	98.48	97.86	85.87	82.49	0.0
0.550	96.05	97.03	97.68	97.92	98.59	99.15	98.37	86.86	84.63	0.0
0.600	98.26	98.72	99.06	98.95	99.49	99.44	98.47	89.99	90.36	0.0
0.650	99.40	99.57	99.67	99.65	99.70	99.65	98.75	92.04	91.57	0.0
0.700	99.83	99.81	99.82	99.83	99.82	99.74	99.71	99.00	93.72	0.0
0.750	99.95	99.96	99.85	99.85	99.93	99.75	99.73	99.12	94.63	0.0
0.800	99.96	99.97	99.87	99.87	99.93	99.85	99.85	99.24	95.15	0.0
0.850	99.97	99.98	99.90	99.96	99.96	99.88	99.89	99.34	96.76	0.0
0.900	99.98	99.99	99.92	99.97	99.94	99.93	99.85	99.57	99.56	0.0
0.950	99.99	100.00	99.97	99.99	99.95	99.98	99.88	99.84	99.56	0.0
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	0.0

TABLE 3A. Continued

## Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 2 MeV

	0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60
Scaled radius	74.64	15.97	2.11	0.52	0.20	0.06	0.05	0.05	0.05	0.05	0.05	0.05	0.05
0.005	79.50	38.35	7.50	1.95	0.86	0.42	0.21	0.14	0.09	0.05	0.02	0.03	0.03
0.010	80.90	52.75	15.14	4.38	1.85	0.95	0.52	0.39	0.30	0.22	0.10	0.06	0.06
0.015	81.72	61.77	23.35	7.56	3.17	1.59	0.90	0.71	0.55	0.48	0.24	0.18	0.18
0.020	82.22	66.50	30.99	10.99	4.78	2.43	1.38	1.13	0.78	0.71	0.39	0.41	0.41
0.025	82.61	69.55	38.18	15.12	6.84	3.41	1.96	1.63	1.19	1.06	0.55	0.62	0.62
0.030	82.93	71.43	44.11	18.90	8.80	4.58	2.62	2.18	1.56	1.40	0.79	0.89	0.89
0.035	83.25	72.60	49.32	23.06	10.94	5.93	3.52	2.79	2.11	1.81	1.11	1.20	1.20
0.040	83.42	73.53	52.97	26.81	13.43	7.37	4.57	3.36	2.66	2.23	1.56	1.52	1.52
0.045	83.52	74.22	56.21	30.56	15.83	8.84	5.51	4.12	3.23	2.79	1.90	1.90	1.90
0.050	83.86	75.26	60.90	37.47	20.89	11.90	7.60	5.70	4.55	3.95	3.36	3.27	3.27
0.060	84.08	76.05	63.71	43.03	26.01	15.44	7.91	5.55	4.11	3.27	4.46	4.35	4.35
0.070	84.19	76.69	65.65	47.62	30.77	19.02	12.67	9.61	7.91	5.70	5.44	5.44	5.44
0.080	84.40	77.24	67.32	51.20	34.95	22.83	15.69	11.66	9.84	8.51	7.25	6.76	6.76
0.090	84.56	77.60	68.55	54.18	38.78	26.43	18.72	13.99	11.67	10.44	8.94	8.37	8.37
0.100	84.74	77.88	69.57	56.54	42.33	30.01	21.61	16.28	13.79	12.52	10.61	10.03	10.03
0.110	84.92	78.23	70.47	58.53	45.37	33.40	24.73	18.75	16.18	14.61	12.42	11.88	11.88
0.120	85.10	78.55	71.21	60.34	48.12	36.16	27.72	21.13	18.43	16.75	14.45	13.82	13.82
0.130	85.26	78.88	71.80	61.85	50.39	38.99	30.58	23.85	20.91	18.88	16.89	15.84	15.84
0.140	85.43	79.51	72.52	63.40	52.81	41.62	33.30	26.44	23.31	20.95	19.16	18.25	18.25
0.150	85.61	79.51	73.17	64.64	54.69	44.19	35.98	29.30	25.89	23.37	21.61	20.88	20.88
0.160	85.78	79.82	73.75	65.74	56.47	46.55	38.61	31.96	28.42	25.85	24.01	23.53	23.53
0.170	85.89	80.17	74.22	66.72	58.24	48.82	40.87	34.69	30.99	28.41	26.40	26.17	26.17
0.180	86.05	80.44	74.66	67.63	59.81	50.92	43.23	37.29	33.20	30.82	28.90	28.55	28.55
0.190	86.27	80.80	75.19	68.54	61.34	52.72	45.51	39.83	35.67	33.22	31.29	31.11	31.11
0.200	86.59	81.52	76.25	70.27	64.12	56.47	49.95	44.43	40.57	37.75	36.04	36.75	36.75
0.220	86.94	82.31	77.39	71.95	66.73	60.02	54.10	49.03	45.20	42.68	40.91	41.89	41.89
0.240	87.35	83.02	78.53	73.61	69.19	63.25	58.02	53.37	49.94	47.39	45.79	47.01	47.01
0.260	87.35	83.02	78.53	73.61	69.19	63.25	58.02	53.37	49.94	47.39	45.79	47.01	47.01
0.280	87.95	83.88	79.82	71.48	66.15	62.03	57.32	54.68	51.92	50.93	52.02	52.02	52.02
0.300	88.73	84.73	81.11	76.36	73.76	69.08	65.44	61.46	59.06	56.52	55.62	57.31	57.31
0.320	89.42	85.69	82.18	78.78	75.92	71.92	68.73	65.39	63.20	61.19	60.41	62.10	62.10
0.340	90.20	86.82	83.45	80.35	78.06	74.76	71.90	69.18	66.96	65.41	65.14	66.54	66.54
0.360	90.89	87.84	84.94	81.90	79.96	77.31	74.93	72.78	70.68	69.39	69.43	70.89	70.89
0.380	91.86	88.98	86.39	83.51	82.00	79.85	78.02	75.98	74.34	73.47	73.50	75.23	75.23
0.400	92.70	90.01	87.67	85.08	84.02	82.13	80.63	78.71	77.70	77.33	77.13	79.02	79.02
0.420	93.51	91.07	88.82	86.66	85.73	84.33	83.10	81.53	80.78	80.58	80.64	82.52	82.52
0.440	94.25	92.04	89.98	88.09	87.47	86.35	85.25	84.14	83.42	83.33	83.89	85.83	85.83
0.460	94.99	93.02	91.30	89.42	89.10	88.06	87.28	86.31	85.82	85.88	86.83	88.57	88.57
0.480	95.93	93.95	92.54	90.74	90.51	89.80	89.28	88.35	88.05	88.37	89.28	90.91	90.91
0.500	96.63	94.68	93.45	92.14	91.78	91.32	91.10	90.29	89.99	90.43	91.18	92.83	92.83
0.550	97.72	96.29	95.84	95.13	94.89	94.51	94.63	94.51	94.42	94.42	95.09	96.26	96.26
0.600	98.79	97.84	97.60	97.15	96.86	97.03	96.92	97.14	97.10	97.60	98.51	98.51	98.51
0.650	99.43	98.85	98.61	98.54	98.59	98.50	98.51	98.76	98.76	99.08	99.37	99.37	99.37
0.700	99.71	99.54	99.37	99.22	99.40	99.39	99.37	99.57	99.57	99.64	99.64	99.83	99.83
0.750	99.85	99.77	99.72	99.63	99.74	99.82	99.77	99.76	99.87	99.88	99.95	99.95	99.95
0.800	99.95	99.92	99.90	99.92	99.96	99.95	99.95	99.95	99.95	99.95	99.99	99.99	99.99
0.850	100.00	99.99	99.97	99.96	99.96	99.97	100.00	99.99	100.00	99.99	99.99	100.00	100.00
0.900	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
0.950	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3A. Continued

Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 2 MeV

Scaled radius	0.60	0.65	0.70	0.75	0.75	0.80	0.85	0.85	0.90	0.90	0.95	0.95	1.00	1.05	1.10	1.15	1.15	1.20		
0.005	0.05	0.03	0.01	0.07	0.04	0.06	0.06	0.06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.010	0.11	0.17	0.13	0.29	0.30	0.23	0.23	0.23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.015	0.28	0.27	0.27	0.57	0.44	0.35	0.28	0.28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.020	0.55	0.49	0.48	0.87	0.70	0.81	0.95	0.95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.025	0.82	0.71	0.73	1.32	0.88	1.14	2.17	2.17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.030	1.12	1.05	1.13	1.65	1.25	1.94	3.17	3.17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.035	1.40	1.33	1.49	1.96	1.69	2.75	4.04	4.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.040	1.71	1.70	1.94	2.44	2.04	3.80	4.78	4.78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.045	2.04	2.04	2.44	2.82	2.55	4.67	6.67	6.67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.050	2.55	2.43	2.89	3.29	3.27	5.67	7.60	7.60	3.54	3.54	5.85	5.85	0.0	0.0	0.0	0.0	0.0	0.0		
0.060	3.44	3.31	4.41	6.43	5.73	9.61	9.15	9.15	1.22	4.89	5.85	5.85	0.0	0.0	9.96	9.96	9.96	9.96		
0.070	4.54	4.69	6.93	6.9	7.53	9.61	12.06	12.06	14.21	8.99	5.85	5.85	0.0	0.0	9.96	9.96	9.96	9.96		
0.080	5.93	6.09	7.80	9.43	9.41	11.53	11.74	11.74	22.35	14.78	5.85	5.85	0.0	0.0	9.96	9.96	9.96	9.96		
0.090	7.43	9.13	9.46	11.13	13.32	13.98	14.25	16.66	26.20	15.00	5.85	5.85	0.0	0.0	9.96	9.96	9.96	9.96		
0.100	10.90	11.49	12.88	13.45	15.90	19.36	19.43	24.74	30.19	15.00	5.85	5.85	0.0	0.0	9.96	9.96	9.96	9.96		
0.110	14.67	15.91	18.21	22.16	22.45	22.45	27.74	38.36	20.81	5.85	5.85	5.85	0.0	0.0	18.67	18.67	18.67	18.67		
0.120	18.39	20.90	24.44	24.44	25.67	30.60	39.79	39.79	22.30	5.85	5.85	5.85	0.0	0.0	18.67	18.67	18.67	18.67		
0.130	20.78	23.69	26.97	26.97	29.39	34.77	43.60	43.60	25.64	5.85	5.85	5.85	0.0	0.0	18.67	18.67	18.67	18.67		
0.140	17.00	18.95	21.12	23.31	26.54	29.58	33.69	39.89	47.30	28.68	6.34	6.34	6.34	0.0	0.0	18.67	18.67	18.67	18.67	
0.150	21.12	23.64	26.01	29.76	32.65	36.64	44.44	51.17	36.99	6.34	6.34	6.34	0.0	0.0	18.67	18.67	18.67	18.67		
0.160	26.24	28.50	32.73	35.71	39.63	46.75	56.29	56.29	38.71	6.34	6.34	6.34	0.0	0.0	18.67	18.67	18.67	18.67		
0.170	28.83	31.24	35.37	38.23	41.73	42.28	49.35	58.89	40.33	10.10	4.42	4.42	4.42	0.0	0.0	18.67	18.67	18.67	18.67	
0.180	31.58	33.70	37.30	43.86	47.29	49.94	55.96	55.96	70.78	55.96	18.25	18.25	18.25	0.0	0.0	19.07	19.07	19.07	19.07	
0.190	33.70	37.30	44.72	49.40	52.10	56.20	60.27	60.27	76.55	58.99	18.25	18.25	18.25	0.0	0.0	19.07	19.07	19.07	19.07	
0.200	37.30	43.86	50.55	54.84	57.49	62.12	67.73	81.13	62.32	18.39	18.39	18.39	0.0	0.0	19.21	19.21	19.21	19.21		
0.220	42.80	48.54	53.68	59.78	65.03	68.25	72.68	76.82	86.96	63.19	18.54	18.54	18.54	0.0	0.0	19.21	19.21	19.21	19.21	
0.240	48.42	63.48	66.03	69.84	73.23	76.62	81.56	81.56	92.40	65.90	18.54	18.54	18.54	0.0	0.0	19.21	19.21	19.21	19.21	
0.260	63.07	76.33	79.41	81.59	81.59	85.76	92.33	92.33	95.78	79.91	21.85	21.85	21.85	0.0	0.0	19.21	19.21	19.21	19.21	
0.280	73.07	77.24	80.10	83.64	86.04	88.94	95.31	95.31	96.90	82.35	21.85	21.85	21.85	0.0	0.0	19.21	19.21	19.21	19.21	
0.300	81.15	83.67	86.37	89.52	91.43	96.60	97.20	97.20	90.33	25.19	25.73	25.73	25.73	0.0	0.0	20.10	20.10	20.10	20.10	
0.320	84.69	86.78	88.32	92.20	93.57	97.31	97.73	97.73	91.24	25.19	26.57	26.57	26.57	0.0	0.0	20.10	20.10	20.10	20.10	
0.340	87.84	90.69	93.84	95.98	95.45	99.23	97.92	97.92	92.27	25.59	29.08	29.08	29.08	0.0	0.0	20.10	20.10	20.10	20.10	
0.360	90.47	92.16	92.96	95.50	96.45	99.23	97.92	97.92	92.27	25.59	29.08	29.08	29.08	0.0	0.0	20.10	20.10	20.10	20.10	
0.380	92.59	94.00	95.00	96.67	97.34	99.45	97.95	97.95	92.27	25.59	29.08	29.08	29.08	0.0	0.0	20.10	20.10	20.10	20.10	
0.400	94.40	95.67	96.32	97.48	98.11	99.59	97.95	97.95	93.81	33.37	31.52	31.52	31.52	0.0	0.0	20.10	20.10	20.10	20.10	
0.420	94.69	96.78	98.32	99.57	99.57	99.57	99.57	99.57	99.57	99.57	99.57	99.57	99.57	99.57	99.57	99.57	99.57	99.57		
0.440	97.84	99.69	99.84	99.84	99.84	99.84	99.84	99.84	99.84	99.84	99.84	99.84	99.84	99.84	99.84	99.84	99.84	99.84		
0.460	99.47	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98	99.98		
0.480	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00		
0.500	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00		
0.550	97.37	98.31	98.52	99.56	99.60	99.48	99.66	99.66	98.22	94.61	33.95	33.95	33.95	0.0	0.0	64.50	64.50	64.50	64.50	
0.600	99.02	99.36	99.62	99.69	99.84	99.72	99.48	99.84	98.39	95.82	51.65	51.65	51.65	0.0	0.0	64.50	64.50	64.50	64.50	
0.650	99.62	99.83	99.88	99.88	99.88	99.48	99.96	99.96	98.39	97.31	75.15	75.15	75.15	0.0	0.0	71.80	71.80	71.80	71.80	
0.700	99.87	99.95	99.97	99.97	99.97	99.93	99.55	99.55	99.88	98.71	99.16	99.16	99.16	0.0	0.0	71.80	71.80	71.80	71.80	
0.750	99.87	99.97	99.98	99.98	99.98	99.63	99.97	99.97	99.97	99.70	100.00	99.54	99.54	99.54	0.0	0.0	71.80	71.80	71.80	71.80
0.800	99.97	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	
0.850	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	
0.900	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	
0.950	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	100.00	99.98	
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	

TABLE 3A. Continued

Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 1 MeV									
Scaled radius	0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40
0.005	67.47	12.64	1.34	0.32	0.11	0.07	0.04	0.04	0.04
0.010	71.50	4.75	1.41	0.62	0.31	0.16	0.15	0.16	0.16
0.015	72.80	43.07	10.39	3.15	1.40	0.59	0.40	0.32	0.30
0.020	73.45	51.14	16.62	5.49	2.39	1.05	0.69	0.53	0.54
0.025	74.01	59.19	22.87	8.25	3.66	1.75	1.07	0.81	0.81
0.030	74.49	59.32	28.44	11.32	4.90	2.51	1.51	1.16	1.09
0.035	74.87	61.19	33.41	14.69	6.45	3.50	2.14	1.58	1.42
0.040	75.09	62.71	37.96	17.48	8.28	4.28	2.80	2.04	1.82
0.045	75.34	63.56	41.72	20.74	10.08	5.46	3.45	2.47	2.29
0.050	75.50	64.36	44.83	23.79	12.04	6.64	4.31	3.09	2.82
0.060	75.81	65.43	49.64	29.47	16.30	9.29	6.15	4.51	4.01
0.070	76.12	66.15	53.08	34.58	20.42	12.08	8.36	6.21	5.49
0.080	76.32	66.90	55.39	38.87	24.45	15.27	10.57	7.95	6.93
0.090	76.55	67.50	57.26	42.60	28.27	18.19	12.79	9.72	8.51
0.100	76.75	67.98	58.76	45.70	32.00	21.45	15.39	11.86	10.24
0.110	76.91	68.47	60.12	48.42	35.14	24.58	17.91	14.12	12.23
0.120	77.12	69.48	61.12	50.74	38.13	27.56	20.49	16.41	14.28
0.130	77.30	69.93	62.26	52.89	41.12	30.58	23.02	18.90	16.56
0.140	77.52	69.88	63.14	54.78	43.68	33.54	25.61	21.36	18.72
0.150	77.72	70.47	64.15	56.45	46.19	36.32	28.23	23.82	20.91
0.160	78.10	70.83	64.95	57.98	48.31	38.93	30.84	26.27	23.15
0.170	78.39	71.32	65.59	59.48	50.26	41.33	33.29	28.81	25.59
0.180	78.73	71.80	66.59	60.85	52.39	43.81	35.93	31.13	28.66
0.190	79.00	72.35	67.41	62.19	54.19	46.03	38.39	33.43	30.66
0.200	79.41	72.88	68.21	63.42	55.97	48.20	40.91	35.89	32.94
0.220	80.25	74.21	69.63	65.84	59.32	52.28	45.63	40.92	37.96
0.240	81.10	75.41	71.29	68.18	62.34	56.19	49.83	45.61	42.93
0.260	82.19	76.68	72.81	70.41	65.41	59.96	54.03	50.36	47.75
0.280	83.39	78.17	74.53	72.83	68.22	63.50	58.28	54.28	52.11
0.300	84.43	79.54	76.26	74.84	70.99	66.63	62.17	58.98	56.54
0.320	85.62	81.11	78.14	76.86	73.53	69.69	65.90	63.06	60.88
0.340	86.71	82.82	80.07	78.81	75.86	72.56	69.35	67.29	64.89
0.360	87.87	84.15	81.84	80.71	78.28	75.52	72.89	70.79	69.21
0.380	88.96	85.58	83.66	82.67	80.55	78.27	76.59	74.30	73.09
0.400	89.91	87.20	85.38	84.56	82.71	81.08	79.81	77.59	76.86
0.420	91.05	88.67	86.94	86.32	84.76	83.37	82.48	80.68	80.09
0.440	92.20	90.15	88.51	87.94	86.69	85.52	84.83	83.62	83.08
0.460	93.16	91.52	89.83	89.49	88.62	87.61	86.98	86.10	85.84
0.480	93.96	92.80	91.07	90.91	90.24	89.55	89.08	88.35	88.21
0.500	95.00	93.82	92.45	92.22	91.82	91.39	91.08	90.65	90.40
0.550	96.82	96.33	95.21	95.09	95.07	94.84	95.02	94.42	94.36
0.600	98.15	98.01	97.21	97.06	97.54	97.10	97.41	97.28	97.22
0.650	99.02	98.94	98.47	98.36	98.88	98.52	98.79	98.81	98.81
0.700	99.62	99.52	99.35	99.16	99.54	99.33	99.46	99.50	99.62
0.750	99.88	99.69	99.72	99.75	99.89	99.80	99.81	99.77	99.91
0.800	99.96	99.86	99.97	99.98	99.99	99.99	99.96	99.97	99.99
0.850	99.99	99.97	100.00	100.00	100.00	100.00	100.00	100.00	100.00
0.900	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
0.950	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3A. Continued

Cumulative Radial Energy-Deposition Distribution in Aluminum, Beam Energy = 1 MeV

Scaled radius	0.60	0.65	0.70	0.75	0.80	0.85	Scaled depth interval			0.95	1.00	1.05	1.10	1.15	1.15	1.20
							0.80	0.85	0.90							
0.005	0.02	0.01	0.03	0.05	0.0	0.0	0.06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.010	0.08	0.09	0.14	0.19	0.03	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.015	0.20	0.20	0.37	0.30	0.13	0.44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.020	0.35	0.36	0.58	0.41	0.46	0.57	0.29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.025	0.63	0.51	0.89	0.65	0.82	0.68	3.84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.030	0.89	0.75	1.04	1.01	1.02	1.08	4.49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.035	1.15	0.99	1.25	1.21	1.50	2.11	5.81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.040	1.51	1.33	1.56	1.47	1.96	2.62	6.88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.045	1.86	1.75	1.99	1.99	2.89	3.38	9.14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.050	2.35	2.24	2.28	2.42	3.62	4.73	12.85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.060	3.51	3.21	3.33	3.59	4.70	6.82	17.12	3.74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.070	4.67	4.49	4.50	5.02	6.66	9.63	19.37	11.83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.080	5.94	6.26	5.83	7.08	8.97	12.32	23.06	15.55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.090	7.50	8.23	8.14	9.47	12.64	15.37	28.11	15.55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.100	9.13	10.05	10.04	12.04	14.97	19.58	30.09	23.51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.110	10.76	12.06	12.17	14.42	16.83	22.61	31.57	29.38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.120	12.67	13.93	14.32	17.04	18.14	27.94	33.60	38.43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.130	14.93	15.89	16.56	19.35	19.80	30.73	37.47	42.17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.140	17.21	18.06	18.70	22.54	22.74	33.66	43.50	46.99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.150	19.68	20.36	20.89	25.87	26.71	37.74	46.31	54.96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.160	21.83	22.65	23.43	29.40	30.26	40.46	46.31	55.67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.170	24.02	25.34	25.96	32.94	32.94	43.18	50.45	59.85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.180	26.33	27.78	28.40	35.47	37.47	44.67	55.30	63.18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.190	29.03	30.12	31.46	38.41	41.35	48.22	58.88	64.67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.200	31.67	32.83	34.29	41.12	45.29	52.42	58.88	65.38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.220	36.82	39.08	41.31	47.10	52.06	56.95	60.51	67.93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.240	42.31	45.68	47.71	52.88	58.14	63.33	67.31	76.14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.260	48.30	51.48	53.57	58.06	64.87	68.35	71.80	76.14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.280	53.95	57.09	59.33	63.72	70.09	72.93	81.24	76.14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.300	58.98	62.02	64.60	69.61	75.59	78.22	84.81	76.85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.320	64.46	66.84	69.55	74.46	79.85	83.35	86.76	86.66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.340	69.48	72.09	75.54	78.71	83.49	86.12	89.74	86.66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.360	74.00	76.67	80.10	82.98	87.05	89.32	89.74	87.09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.380	78.40	81.08	84.25	86.76	89.37	92.90	93.81	89.10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.400	82.31	84.30	87.28	90.47	92.43	94.23	98.00	91.83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.420	85.68	87.56	89.45	92.53	95.86	96.71	98.62	93.10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.440	88.82	90.14	91.99	94.35	95.58	98.15	98.62	94.27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.460	91.49	92.17	94.08	95.42	96.70	98.19	98.62	94.27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.480	93.41	94.15	95.83	96.64	97.63	98.81	98.79	96.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.500	94.67	95.49	96.94	97.52	98.34	98.81	98.79	96.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.550	97.48	97.90	98.50	99.04	99.40	99.47	98.79	96.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.600	98.81	99.13	99.59	99.62	99.87	100.00	98.79	96.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.650	99.68	99.72	99.88	99.91	99.96	100.00	99.96	96.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.700	99.98	99.93	99.96	99.82	99.96	100.00	99.96	96.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.750	100.00	99.98	99.98	99.98	99.98	100.00	99.98	96.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.800	100.00	99.98	99.98	99.98	99.98	100.00	99.98	96.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.850	100.00	99.98	99.98	99.98	99.98	100.00	99.98	96.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.900	100.00	99.98	99.98	100.00	100.00	100.00	100.00	100.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.950	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TABLE 3B. Normalized cumulative radial distribution of deposited energy in copper. The numbers in the column headed "Scaled radius" represent the scaled radial distance from the z-axis,  $\rho/r_0$ . The "Scaled depth intervals" have the same meaning as in Table 2B. The entries for each depth interval are the quantities  $\Psi_n(\rho)$  as defined by Eq (3). The percentage of the incident beam energy deposited in the indicated depth interval, at radial distances  $\leq \rho$ , is equal to  $H_n \Psi_n(\rho)/100$ , where  $H_n$  is given in Table 2B.

TABLE 3B

## Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 60 MeV

Scaled radius	0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55
	0.005	0.010	0.015	0.020	0.025	0.030	0.035	0.040	0.045	0.050	0.055	0.060
91.48	57.96	17.81	6.36	2.85	1.50	0.92	0.51	0.37	0.22	0.18	0.15	
91.09	83.12	49.02	21.85	10.45	5.60	3.41	2.11	1.41	0.85	0.74	0.60	
95.38	89.01	70.09	40.08	21.06	11.67	7.02	4.52	3.31	2.04	1.76	1.42	
96.14	91.16	80.40	55.39	33.07	19.72	11.64	7.55	5.52	3.63	3.11	2.48	
96.70	92.56	85.07	66.75	44.25	28.00	17.22	11.52	7.99	5.67	4.66	3.78	
97.10	93.54	87.66	74.67	54.53	36.34	22.94	15.74	11.03	8.09	6.40	5.20	
97.41	94.14	89.34	79.67	62.51	44.05	29.10	20.47	14.29	10.37	8.30	6.66	
97.64	94.76	90.42	83.04	68.72	51.00	35.07	25.38	17.64	12.81	10.44	8.42	
97.78	95.21	91.30	85.34	73.56	57.26	41.15	30.18	21.19	15.61	12.51	10.26	
97.88	95.58	91.97	87.13	77.03	62.62	46.68	34.68	24.91	18.51	14.90	12.25	
98.01	96.18	93.12	89.47	81.98	71.03	56.54	43.69	32.60	24.93	20.04	16.30	
98.14	96.61	94.01	91.14	85.32	76.92	64.68	52.00	39.98	31.55	25.72	21.05	
98.25	98.25	96.90	94.72	92.21	87.56	81.11	70.65	58.92	47.02	37.81	25.72	
98.35	98.35	97.17	95.29	93.16	89.15	84.20	75.17	65.01	53.31	44.15	30.70	
98.45	98.45	97.40	95.77	93.94	90.45	86.43	78.88	69.82	59.12	49.70	35.67	
98.50	97.59	96.17	94.56	91.58	88.05	81.96	73.75	64.01	54.85	47.33	40.16	
98.53	97.74	96.50	95.02	92.38	89.40	84.27	77.29	68.29	59.53	51.86	44.63	
98.57	97.86	96.82	95.49	93.13	90.56	86.24	80.05	71.71	63.75	56.30	48.83	
98.62	97.99	97.05	95.86	93.77	91.57	87.79	82.21	74.85	67.45	60.37	52.78	
98.65	98.07	97.27	96.20	94.41	92.34	89.07	84.14	77.53	70.64	63.92	56.31	
98.68	98.15	97.39	96.51	94.96	92.94	90.05	85.74	79.75	73.43	67.06	59.70	
98.70	98.28	97.53	96.73	95.33	93.54	90.97	87.21	81.66	76.07	69.83	62.76	
98.72	98.36	97.63	96.97	95.60	94.01	91.76	88.30	83.50	78.28	72.51	65.75	
98.74	98.40	97.73	97.18	95.92	94.51	92.47	89.35	85.02	80.20	74.98	68.52	
98.75	98.45	97.84	97.32	96.25	94.89	93.10	90.30	86.31	81.96	77.14	70.95	
98.82	98.82	98.58	98.00	97.68	96.68	95.55	94.26	91.81	88.43	84.97	75.23	
98.86	98.67	98.19	97.90	97.14	96.19	95.10	92.96	90.04	87.18	83.69	78.88	
98.89	98.70	98.34	98.12	97.46	96.70	95.73	93.91	91.35	89.06	86.01	81.78	
98.94	98.77	98.46	98.33	97.67	96.98	96.21	94.60	92.50	90.61	87.97	84.39	
98.95	98.53	98.53	98.42	97.91	97.28	96.57	95.21	93.41	91.86	89.60	86.43	
98.99	98.84	98.84	98.54	98.13	97.52	96.88	95.73	94.24	92.93	90.93	88.25	
99.04	98.89	98.89	98.62	98.62	98.27	97.77	97.18	96.23	94.88	93.85	92.01	
99.07	98.94	98.94	98.71	98.62	98.38	97.99	97.46	96.66	95.43	94.56	93.11	
99.10	99.02	98.77	98.69	98.38	98.51	98.19	97.72	97.07	95.87	95.09	94.01	
99.14	99.10	99.10	98.84	98.78	98.51	98.32	97.92	97.33	96.31	95.64	94.78	
99.17	99.17	99.09	98.90	98.85	98.61	98.47	98.08	97.53	96.70	96.17	95.42	
99.22	99.22	99.22	98.99	98.68	98.68	98.08	97.74	97.00	96.57	95.95	94.49	
99.25	99.25	99.27	99.07	99.04	98.76	98.58	98.26	97.74	97.00	96.93	95.12	
99.29	99.30	99.12	99.13	98.82	98.67	98.40	97.95	97.32	96.93	96.44	95.71	
99.33	99.33	99.17	99.18	98.89	98.74	98.51	98.10	97.61	97.25	96.80	95.71	
99.38	99.38	99.22	99.18	98.97	98.83	98.60	98.25	97.87	97.58	97.10	96.13	
99.47	99.47	99.33	99.28	99.15	99.00	98.82	98.59	98.30	98.12	97.9	97.16	
99.55	99.55	99.44	99.40	99.36	99.17	99.01	98.92	98.70	98.63	98.35	98.08	
99.60	99.60	99.59	99.54	99.52	99.48	99.32	99.24	99.02	98.93	98.82	98.49	
99.65	99.67	99.64	99.60	99.59	99.59	99.44	99.34	99.24	99.24	99.18	99.08	
99.70	99.73	99.73	99.67	99.65	99.67	99.57	99.49	99.53	99.53	99.39	99.31	
99.75	99.75	99.78	99.76	99.76	99.77	99.69	99.63	99.71	99.68	99.52	99.51	
99.80	99.79	99.85	99.85	99.83	99.81	99.84	99.83	99.81	99.81	99.64	99.54	
99.85	99.85	99.89	99.89	99.89	99.89	99.89	99.89	99.89	99.89	99.76	99.75	
99.90	99.90	99.92	99.92	99.92	99.93	99.95	99.95	99.95	99.95	99.88	99.88	
99.95	99.95	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	

TABLE 3B. Continued

Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 60 MeV											
Scaled radius	Scaled depth interval										
	0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20	1.25	1.30
0.60	0.65	0.70	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
0.65	0.70	0.75	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
0.005	0.14	0.12	0.13	0.06	0.07	0.07	0.07	0.07	0.07	0.07	0.07
0.010	0.50	0.40	0.40	0.30	0.27	0.30	0.27	0.27	0.27	0.29	0.27
0.015	1.11	0.86	0.81	0.64	0.68	0.69	0.58	0.76	0.58	0.61	0.50
0.020	1.97	1.50	1.46	1.14	1.16	1.08	0.97	1.17	1.07	1.09	0.87
0.025	2.83	2.43	2.11	1.80	1.78	1.55	1.48	1.65	1.68	1.56	1.36
0.030	4.05	3.39	2.91	2.64	2.55	2.13	2.07	2.31	2.40	2.09	1.97
0.035	5.34	4.47	3.80	3.59	3.33	2.88	2.78	2.94	3.09	2.69	2.55
0.040	6.64	5.74	4.90	4.51	4.34	3.64	3.52	3.85	3.84	3.37	2.94
0.045	8.14	7.10	6.03	5.56	5.25	4.58	4.32	4.70	4.69	4.11	3.94
0.050	9.85	8.42	7.26	6.79	6.26	5.78	5.35	5.62	5.54	4.92	4.61
0.060	13.40	11.55	9.81	9.26	8.46	7.92	7.32	7.44	7.42	6.52	6.57
0.070	17.05	15.07	12.96	11.99	10.87	10.43	9.50	9.95	9.35	8.51	8.29
0.080	21.18	18.64	16.35	14.70	13.40	12.98	12.21	12.36	11.65	10.70	10.16
0.090	25.58	22.32	19.51	17.83	16.28	15.86	15.04	14.86	14.42	12.85	12.04
0.100	30.07	26.29	23.19	21.17	19.09	18.53	17.69	17.15	16.83	15.27	14.38
0.110	34.25	30.19	26.77	24.47	21.93	21.09	20.14	19.67	19.40	17.47	16.68
0.120	38.74	34.36	30.16	27.51	24.91	24.13	22.64	22.27	21.92	19.82	19.03
0.130	42.89	38.36	33.56	30.71	28.21	27.22	25.26	24.78	24.33	22.10	21.93
0.140	46.66	42.15	37.33	33.93	31.30	30.52	28.22	27.38	27.01	24.96	24.59
0.150	50.23	45.85	40.79	37.08	34.36	33.61	30.97	30.16	29.89	27.65	27.07
0.160	53.67	49.22	44.23	40.16	37.60	36.01	33.57	32.74	32.43	30.44	29.60
0.170	56.66	52.39	47.49	43.16	40.41	39.08	36.38	35.32	35.10	33.22	31.99
0.180	59.65	55.47	50.66	46.04	43.21	41.81	39.21	38.06	37.83	35.45	34.51
0.190	62.59	58.51	53.43	48.92	46.07	44.68	41.99	40.55	40.44	37.80	36.79
0.200	65.34	61.33	56.09	51.39	48.80	47.20	44.65	43.25	42.81	40.22	38.82
0.220	70.02	66.43	61.60	56.80	52.11	49.70	48.06	47.35	44.91	43.56	42.53
0.240	74.19	70.89	66.21	61.92	58.74	54.50	52.48	52.14	49.36	47.91	47.33
0.260	77.67	74.62	70.27	66.38	63.11	61.15	58.76	56.66	56.07	53.18	51.29
0.280	80.95	78.02	73.64	70.08	67.42	65.06	62.74	60.49	59.95	57.32	55.66
0.300	83.51	80.87	76.82	73.41	70.95	69.04	66.69	64.32	63.58	60.62	59.97
0.320	85.60	83.38	79.62	76.58	74.08	72.28	70.35	67.81	66.77	64.22	63.54
0.340	87.27	85.34	82.25	79.32	76.84	74.96	73.33	70.71	69.74	67.50	65.54
0.360	88.83	87.10	84.44	81.70	79.57	77.73	76.21	73.51	72.56	70.49	68.13
0.380	90.15	88.73	86.09	84.09	81.87	80.20	78.83	76.56	75.50	73.15	72.54
0.400	91.21	90.10	87.93	86.00	84.17	82.64	81.20	79.18	77.86	75.67	74.97
0.420	92.26	91.40	89.57	87.85	85.98	84.80	83.24	81.41	79.92	77.89	77.16
0.440	93.06	92.46	90.93	89.27	87.75	86.57	85.10	83.55	81.60	79.79	78.93
0.460	93.75	93.40	92.02	90.39	89.49	88.22	86.83	85.38	83.14	81.51	80.37
0.480	94.46	94.10	93.01	91.58	90.83	89.76	88.28	86.98	84.81	82.85	82.11
0.500	95.10	94.79	93.94	92.68	91.76	91.00	89.80	88.33	86.45	84.74	84.27
0.550	96.47	96.15	95.67	94.88	94.06	93.37	92.58	91.14	89.57	88.33	87.22
0.600	97.42	97.15	96.81	96.34	95.86	95.25	94.62	93.71	92.43	91.39	89.73
0.650	98.17	97.90	97.71	97.33	97.04	96.44	95.90	94.49	93.62	92.54	92.03
0.700	98.65	98.43	98.28	98.14	97.83	97.49	96.99	96.44	95.05	94.58	93.95
0.750	99.02	98.87	98.68	98.67	98.40	98.24	97.87	97.37	97.12	96.67	95.52
0.800	99.29	99.21	99.06	99.04	98.90	98.81	98.47	98.13	97.82	97.40	97.19
0.850	99.54	99.45	99.37	99.30	99.20	99.16	98.97	98.74	98.56	98.16	97.91
0.900	99.76	99.68	99.62	99.52	99.47	99.41	99.34	99.21	99.20	98.96	98.83
0.950	99.89	99.85	99.80	99.81	99.78	99.75	99.67	99.65	99.63	99.55	99.47
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

## Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 40 MeV

Scaled radius	0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60
0.005	89.83	44.71	10.77	3.88	1.92	0.93	0.52	0.36	0.21	0.16	0.11	0.10	0.10
0.010	93.75	76.14	34.35	14.16	6.70	3.50	2.10	1.19	0.76	0.59	0.46	0.49	0.49
0.015	95.26	86.01	56.19	27.01	13.70	7.66	4.53	2.78	1.73	1.35	1.00	0.96	0.96
0.020	96.05	89.58	70.34	40.36	21.56	12.85	7.59	4.71	3.18	2.40	1.76	1.50	1.50
0.025	96.67	91.45	78.86	53.35	30.44	18.33	11.44	6.96	5.00	3.68	2.59	2.22	2.22
0.030	97.03	92.29	83.94	62.93	39.73	24.54	15.38	9.69	7.07	5.04	3.52	3.08	3.08
0.035	97.30	93.23	86.60	69.92	48.22	30.59	19.53	12.84	9.20	6.76	4.62	4.01	4.01
0.040	97.51	93.89	88.42	75.31	55.71	36.80	24.27	16.20	11.82	8.47	5.98	5.00	5.00
0.045	97.68	94.37	89.70	79.06	61.71	43.15	29.18	20.01	14.19	10.41	7.60	6.19	6.19
0.050	97.82	94.87	90.76	81.98	66.78	48.40	34.00	23.68	16.84	12.48	9.15	7.53	7.53
0.060	98.04	95.49	92.21	85.54	74.62	58.14	43.05	31.29	22.26	16.96	12.74	10.32	10.32
0.070	98.18	96.09	93.32	87.87	79.22	65.63	51.04	38.38	28.33	21.50	16.70	13.57	13.57
0.080	98.32	96.53	94.05	89.47	82.58	71.39	58.09	45.22	33.94	26.19	20.75	16.92	16.92
0.090	98.42	96.87	94.74	90.71	84.71	76.04	63.57	51.54	39.51	31.09	24.78	20.49	20.49
0.100	98.50	97.10	95.33	91.73	86.57	79.48	68.21	57.16	45.09	35.83	29.01	24.16	24.16
0.110	98.58	97.35	95.75	92.49	87.93	82.15	72.20	61.74	50.25	40.59	33.22	27.79	27.79
0.120	98.63	97.53	96.09	93.20	89.13	83.94	75.49	65.90	54.66	44.82	37.20	31.30	31.30
0.130	98.67	97.70	96.35	93.72	90.11	85.54	78.27	69.48	59.06	48.75	40.96	34.90	34.90
0.140	98.69	97.84	96.61	94.19	90.93	86.93	80.40	72.54	62.87	52.59	44.63	38.63	38.63
0.150	98.71	97.96	96.82	94.61	91.69	87.97	82.38	75.35	66.38	56.21	48.09	41.87	41.87
0.160	98.75	98.10	97.03	94.92	92.23	88.99	83.91	77.46	69.16	59.91	51.54	45.21	45.21
0.170	98.77	98.18	97.22	95.23	92.74	89.85	85.21	79.44	71.90	63.14	54.96	48.56	48.56
0.180	98.78	98.24	97.43	95.53	93.25	90.53	86.34	81.16	74.31	66.01	58.02	51.55	51.55
0.190	98.80	98.35	97.57	95.75	93.65	91.08	87.37	82.49	76.45	68.66	60.71	54.45	54.45
0.200	98.82	98.46	97.67	95.93	93.99	91.70	88.11	83.85	78.36	71.09	63.25	57.14	57.14
0.220	98.84	98.62	97.88	96.39	94.68	92.74	89.66	86.03	81.57	75.02	68.07	62.37	62.37
0.240	98.88	98.72	98.08	96.76	95.16	93.56	90.89	87.73	83.98	78.32	71.88	67.00	67.00
0.260	98.90	98.78	98.23	97.09	95.64	94.31	91.90	89.23	86.01	81.34	75.36	70.92	70.92
0.280	98.97	98.81	98.37	97.32	96.04	94.87	92.81	90.55	87.80	83.60	78.36	74.25	74.25
0.300	99.00	98.86	98.47	97.53	96.36	95.41	93.61	91.67	88.29	85.73	80.78	77.22	77.22
0.320	99.03	98.90	98.59	97.67	96.70	95.80	94.15	92.67	90.46	87.49	83.10	79.96	79.96
0.340	99.05	98.95	98.71	97.85	96.98	96.12	94.65	93.65	91.54	89.16	85.12	82.45	82.45
0.360	99.09	98.80	98.80	98.00	97.19	96.45	95.15	94.34	92.49	90.48	86.83	84.65	84.65
0.380	99.12	99.04	98.88	98.17	97.46	96.71	95.51	94.96	93.32	91.68	88.50	86.54	86.54
0.400	99.14	99.09	98.96	98.38	97.61	96.96	95.90	95.35	94.15	92.68	90.07	88.23	88.23
0.420	99.19	99.14	99.02	98.52	97.76	97.18	96.27	95.76	94.81	93.67	91.27	89.69	89.69
0.440	99.26	99.17	99.12	98.62	97.92	97.43	96.52	96.24	95.47	94.44	92.28	90.90	90.90
0.460	99.30	99.22	99.19	99.14	98.68	98.06	97.69	96.84	96.62	95.97	95.16	92.08	92.08
0.480	99.32	99.22	99.19	99.19	98.79	98.26	97.93	97.12	96.94	96.42	95.77	93.08	93.08
0.500	99.36	99.28	99.28	98.88	98.47	98.08	97.37	97.23	96.81	96.36	94.96	93.96	93.96
0.550	99.46	99.42	99.36	99.10	98.82	98.47	97.95	97.88	97.63	97.24	96.28	95.49	95.49
0.600	99.56	99.48	99.42	99.33	99.12	98.85	98.49	98.35	98.30	97.93	97.42	96.78	96.78
0.650	99.67	99.60	99.56	99.50	99.36	99.09	98.86	98.74	98.72	98.55	98.21	97.72	97.72
0.700	99.76	99.68	99.67	99.57	99.49	99.30	99.08	98.99	99.08	98.97	98.71	98.41	98.41
0.750	99.82	99.71	99.71	99.68	99.56	99.43	99.37	99.30	99.35	99.32	99.15	98.90	98.90
0.800	99.86	99.77	99.77	99.75	99.68	99.58	99.52	99.55	99.59	99.59	99.41	99.27	99.27
0.850	99.90	99.86	99.83	99.84	99.80	99.72	99.70	99.73	99.74	99.56	99.42	99.28	99.28
0.900	99.95	99.93	99.91	99.90	99.88	99.83	99.83	99.84	99.84	99.55	99.55	99.55	99.55
0.950	99.98	99.97	99.95	99.94	99.93	99.93	99.93	99.93	99.93	99.93	99.87	99.90	99.90
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 40 MeV											
Scaled radius	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	0.99	1.00	1.05
0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20	1.25	1.30	1.35
0.005	0.09	0.05	0.05	0.09	0.05	0.03	0.09	0.05	0.07	0.05	0.04
0.010	0.30	0.20	0.18	0.22	0.12	0.20	0.18	0.25	0.16	0.12	0.21
0.015	0.70	0.50	0.37	0.48	0.25	0.41	0.43	0.39	0.51	0.31	0.49
0.020	1.10	0.83	0.68	0.82	0.60	0.62	0.61	0.69	0.81	0.61	0.76
0.025	1.70	1.44	1.12	1.19	0.99	1.07	0.95	1.10	1.22	0.98	1.21
0.030	2.38	2.10	1.72	1.61	1.36	1.45	1.34	1.42	1.62	1.45	1.59
0.035	3.12	2.81	2.38	2.26	1.86	1.99	1.61	1.83	2.15	2.06	2.08
0.040	3.96	3.58	3.07	2.73	2.35	2.52	2.12	2.22	2.65	2.61	2.72
0.045	4.87	4.35	3.73	3.27	3.03	3.13	2.68	2.85	3.23	3.26	3.32
0.050	5.97	5.27	4.48	3.95	3.60	3.73	3.26	3.53	3.96	3.83	4.14
0.060	8.29	7.12	5.96	5.38	5.03	5.15	4.58	4.82	5.37	5.30	4.94
0.070	10.96	9.27	7.61	7.20	6.54	6.64	6.04	6.25	6.86	7.01	6.79
0.080	13.88	11.70	9.67	9.23	8.36	8.52	7.65	7.89	8.53	8.79	8.93
0.090	16.93	14.21	12.15	11.33	10.32	10.44	9.25	9.79	10.33	10.64	10.98
0.100	20.02	16.96	14.47	13.75	12.52	12.40	11.34	11.55	12.44	12.74	13.18
0.110	23.40	19.80	17.16	16.93	14.93	14.73	13.27	13.35	14.50	14.29	15.13
0.120	27.01	22.67	19.90	18.83	17.20	16.99	15.27	15.40	16.51	16.24	16.86
0.130	30.39	25.80	22.80	21.15	19.90	19.26	17.63	17.42	18.28	18.50	18.89
0.140	33.79	28.79	25.64	23.86	22.44	21.58	19.62	19.50	20.59	19.89	20.72
0.150	37.13	31.75	28.45	26.36	25.09	24.03	22.11	21.60	23.01	21.91	22.94
0.160	40.18	34.80	31.09	29.06	27.35	26.53	24.44	24.81	26.99	24.17	24.55
0.170	43.32	37.82	33.86	31.77	29.78	29.78	29.18	29.08	27.18	26.39	27.21
0.180	46.45	40.80	36.92	34.38	32.57	31.89	29.26	28.42	29.58	28.71	29.27
0.190	49.31	43.66	39.88	36.93	35.21	34.31	31.81	30.80	31.87	30.85	31.74
0.200	52.03	46.37	42.62	39.61	37.76	36.93	34.47	33.04	34.01	32.87	33.75
0.220	57.33	51.67	47.93	44.31	42.84	41.54	39.33	37.65	38.40	36.95	37.98
0.240	62.10	56.93	53.07	49.20	47.63	46.28	44.06	42.37	42.81	40.90	42.22
0.260	66.29	61.39	58.07	54.27	52.19	50.67	48.29	46.52	46.82	45.34	46.13
0.280	70.18	65.93	62.58	58.93	56.50	55.30	52.90	50.77	51.03	50.05	48.45
0.300	73.64	69.75	66.82	63.19	61.11	59.33	57.24	55.02	54.77	53.74	51.86
0.320	76.59	73.24	70.62	67.25	64.85	63.13	60.95	59.07	58.14	57.01	55.48
0.340	79.23	76.47	74.17	70.85	68.60	66.88	64.50	62.51	61.67	60.38	58.72
0.360	81.83	79.24	77.12	74.35	71.89	69.94	67.78	65.90	65.25	64.21	61.52
0.380	83.85	81.52	79.94	77.33	74.89	73.09	71.09	69.49	68.82	67.77	64.11
0.400	85.75	83.72	82.50	79.97	77.66	76.23	74.00	72.54	71.67	70.73	66.90
0.420	87.53	85.75	84.58	82.28	80.31	79.00	76.95	75.52	74.28	73.39	69.20
0.440	89.29	87.39	86.24	84.23	82.45	81.58	79.53	78.06	77.11	76.07	75.42
0.460	90.62	88.77	87.78	86.12	84.61	83.39	81.67	80.00	79.23	78.19	73.98
0.480	91.76	90.00	89.15	87.69	86.48	85.45	83.61	82.02	81.11	80.18	75.55
0.500	92.68	91.15	90.38	89.19	88.07	87.30	85.29	84.05	83.03	82.18	77.15
0.550	94.79	93.62	93.17	92.28	91.66	90.95	89.28	87.83	87.50	86.61	85.36
0.600	96.19	95.51	95.05	94.32	94.12	93.63	92.28	90.79	90.48	88.98	88.27
0.650	97.32	97.06	96.60	95.86	95.73	95.32	94.55	92.98	93.07	91.58	87.77
0.700	98.08	97.93	97.84	97.06	96.84	96.48	95.87	94.95	94.73	93.42	92.24
0.750	98.61	98.58	98.44	97.90	97.67	97.34	96.87	96.30	96.07	94.93	94.02
0.800	99.11	99.04	99.00	98.60	98.37	98.06	97.84	97.24	97.12	96.27	95.80
0.850	99.53	99.40	99.32	99.09	99.05	98.80	98.56	98.33	97.93	97.40	97.03
0.900	99.76	99.69	99.59	99.47	99.50	99.29	99.17	98.99	98.53	99.53	96.30
0.950	99.88	99.90	99.80	99.74	99.81	99.64	99.61	99.53	99.40	99.29	98.93
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 20 MeV										
					Scaled depth interval	0.35	0.40	0.45	0.50	0.55
					0.30	0.35	0.40	0.50	0.55	0.60
Scaled radius	0.005	83.66	25.68	1.46	0.61	0.32	0.12	0.06	0.04	0.03
	0.010	90.47	57.54	4.72	5.71	2.43	1.14	0.63	0.25	0.16
	0.015	92.21	74.46	33.13	12.26	5.33	2.63	1.37	0.42	0.39
	0.020	93.26	82.09	47.39	20.05	9.21	4.51	2.45	1.70	1.17
	0.025	93.99	86.16	58.90	28.55	14.04	7.24	4.09	2.57	1.87
	0.030	94.41	88.30	67.64	36.98	19.18	10.35	5.88	3.79	2.61
	0.035	94.78	89.68	73.42	44.53	24.76	13.64	7.82	5.11	3.43
	0.040	95.01	90.47	77.36	51.95	30.42	17.23	10.16	6.64	4.55
	0.045	95.28	91.13	80.41	57.95	35.71	20.83	12.59	8.36	5.69
	0.050	95.51	91.62	82.35	62.61	40.53	24.47	15.34	10.10	6.85
	0.060	95.80	92.40	84.99	70.13	49.51	32.01	20.57	13.80	9.63
	0.070	96.08	92.98	86.71	74.99	56.51	39.21	25.98	17.89	12.60
	0.080	96.28	93.46	93.80	88.78	80.77	62.33	45.20	31.41	22.06
	0.090	96.43	94.10	89.49	82.53	70.41	50.68	36.40	26.40	19.16
	0.100	96.54	94.42	90.03	83.83	73.34	55.71	41.58	30.80	22.50
	0.110	96.62	94.55	90.32	84.87	75.61	59.87	46.19	35.01	25.98
	0.120	96.72	94.74	90.79	85.75	77.41	63.55	50.29	39.06	29.72
	0.130	96.81	94.91	91.08	86.40	86.05	78.93	69.10	54.04	43.13
	0.140	96.84	95.02	91.47	87.05	80.31	71.25	60.41	57.48	46.84
	0.150	96.88	95.11	91.76	87.62	81.45	73.16	63.18	50.12	40.12
	0.160	96.91	95.20	92.08	88.13	82.49	74.82	65.51	55.82	45.78
	0.170	96.94	95.26	92.36	88.69	83.41	76.29	67.48	58.45	48.66
	0.180	96.97	95.38	92.62	89.16	84.24	77.61	69.26	61.00	51.32
	0.190	97.03	95.51	92.82	89.56	85.02	78.84	70.85	63.37	53.95
	0.200	97.07	95.51	92.82						
	0.220	97.17	95.74	93.31	90.26	86.22	81.03	73.76	67.27	58.88
	0.240	97.24	95.97	93.75	90.96	87.34	82.84	76.21	70.63	62.96
	0.260	97.30	96.17	94.08	91.61	88.27	84.37	78.47	73.40	66.51
	0.280	97.38	96.34	94.46	92.16	89.14	85.79	80.46	75.93	69.88
	0.300	97.48	96.49	94.88	92.69	90.00	87.00	82.25	78.33	72.89
	0.320	97.58	96.61	95.25	93.71	91.82	88.04	83.70	82.49	75.67
	0.340	97.69	96.81	95.53	93.71	91.47	89.04	85.05	82.49	78.48
	0.360	97.86	96.99	95.90	94.14	92.02	89.82	86.38	84.23	78.04
	0.380	97.99	97.16	96.25	94.63	92.59	90.74	87.52	85.71	82.57
	0.400	98.07	97.32	96.53	95.04	93.28	91.58	88.69	85.71	82.57
	0.420	98.19	97.47	96.81	95.49	93.80	92.35	89.83	86.53	84.58
	0.440	98.33	97.61	97.08	95.80	94.34	93.10	90.89	89.82	86.18
	0.460	98.48	97.81	97.31	96.29	94.95	93.76	91.87	89.44	87.77
	0.480	98.59	98.00	97.59	96.70	95.32	94.40	92.83	90.66	89.23
	0.500	98.71	98.22	97.82	97.06	95.84	94.99	93.64	91.85	89.51
	0.550	99.07	98.59	98.30	97.70	97.03	96.20	95.36	94.30	93.31
	0.600	99.36	98.87	98.75	98.25	97.98	96.80	95.63	94.96	95.39
	0.650	99.51	99.20	99.47	99.33	99.23	98.07	97.88	95.47	95.49
	0.700	99.63	99.61	99.49	99.50	99.43	98.67	98.62	95.44	95.39
	0.750	99.73	99.75	99.65	99.64	99.63	99.46	99.53	98.82	98.92
	0.800	99.84	99.86	99.86	99.75	99.74	99.77	99.65	99.40	99.35
	0.850	99.90	99.92	99.88	99.85	99.87	99.80	99.83	99.67	99.68
	0.900	99.94	99.95	99.92	99.92	99.90	99.91	99.95	99.88	99.81
	0.950	99.98	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

## Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 20 MeV

Scaled radius	Scaled depth interval										1.15 1.20
	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00	1.05	
0.005	0.04	0.02	0.03	0.03	0.04	0.03	0.03	0.02	0.01	0.01	0.0
0.010	0.11	0.10	0.12	0.08	0.10	0.07	0.09	0.03	0.01	0.04	0.04
0.015	0.31	0.27	0.25	0.23	0.35	0.18	0.25	0.08	0.10	0.05	0.22
0.020	0.57	0.46	0.42	0.42	0.59	0.58	0.42	0.34	0.27	0.24	0.46
0.025	0.87	0.70	0.61	0.58	0.59	0.65	0.54	0.48	0.47	0.52	0.58
0.030	1.17	1.06	0.88	0.88	0.79	1.21	0.98	0.91	0.73	0.73	0.62
0.035	1.62	1.45	1.23	1.08	1.55	1.55	1.34	1.24	0.91	0.80	0.67
0.040	2.04	1.89	1.60	1.49	1.87	1.70	1.73	1.13	1.06	1.04	1.15
0.045	2.52	2.26	2.09	1.98	2.41	2.14	2.08	1.34	1.44	1.44	1.59
0.050	3.01	2.75	2.57	2.38	3.14	2.64	2.56	1.73	1.74	1.96	2.06
0.060	4.31	3.91	3.66	3.42	4.42	3.79	3.58	2.58	2.38	2.61	3.40
0.070	5.67	5.42	4.99	4.81	5.81	5.09	4.62	3.32	3.18	3.61	4.34
0.080	7.20	6.98	6.27	6.14	7.23	6.42	5.89	4.22	3.94	4.63	5.01
0.090	8.95	8.60	7.95	7.36	8.99	7.82	7.29	5.73	5.05	5.97	5.39
0.100	10.79	10.38	9.49	9.01	10.91	9.34	9.01	7.40	6.49	7.23	7.33
0.110	12.57	12.22	11.15	10.47	12.43	11.13	10.90	9.49	8.54	9.09	10.93
0.120	14.83	14.10	12.86	12.28	14.30	12.88	13.14	11.49	10.34	11.04	12.16
0.130	16.97	16.15	14.77	14.33	16.23	14.77	14.97	13.70	12.04	12.90	13.67
0.140	19.17	18.30	16.84	16.63	18.20	16.74	16.87	16.11	14.05	14.71	12.97
0.150	21.61	20.55	19.03	18.71	20.48	18.74	18.90	18.70	16.33	16.45	14.76
0.160	24.16	22.73	20.95	21.09	22.73	21.25	21.13	20.77	19.21	18.01	16.90
0.170	26.79	25.05	23.06	23.27	25.04	23.86	23.42	22.94	21.56	20.78	18.09
0.180	29.20	27.40	25.29	25.36	27.28	26.27	25.47	25.47	23.27	21.78	19.86
0.190	31.54	29.70	27.69	27.43	29.75	28.76	27.73	28.06	25.38	23.60	21.94
0.200	33.85	31.97	30.25	29.74	32.23	31.04	30.32	30.54	27.76	25.74	24.47
0.220	38.85	37.03	35.16	39.87	42.06	44.68	46.10	41.13	37.03	35.55	34.90
0.240	43.62	42.06	46.96	53.50	51.55	49.60	49.12	51.05	46.39	44.63	40.02
0.260	48.50	51.55	56.14	54.32	53.83	55.64	55.36	54.68	49.44	47.21	43.56
0.280	57.41	60.26	58.63	63.13	64.30	64.78	62.63	64.25	59.99	58.99	56.52
0.300	61.57	64.30	64.78	68.04	67.03	66.23	68.13	67.79	63.37	63.45	52.50
0.320	65.78	69.81	73.17	71.61	70.59	69.76	71.47	71.65	66.95	66.41	56.75
0.340	69.80	73.17	71.61	70.59	72.92	74.74	74.85	72.83	70.07	67.73	62.49
0.360	73.17	76.49	75.18	73.98	77.16	76.29	77.93	77.87	75.69	73.01	68.69
0.400	76.49	79.18	78.21	78.09	80.28	80.90	82.04	80.77	80.84	78.33	76.06
0.420	79.18	81.87	80.90	83.41	82.04	83.17	84.43	83.03	83.51	80.73	78.36
0.440	81.87	84.30	86.46	85.81	84.43	85.52	86.68	87.50	85.17	85.50	82.90
0.460	84.30	88.40	87.92	87.50	86.68	87.50	87.05	87.43	84.76	84.76	81.79
0.500	88.40	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
0.550	92.10	92.32	91.89	91.13	91.52	94.31	94.16	93.84	93.52	91.21	88.63
0.600	94.56	95.29	95.16	96.83	96.33	95.95	95.52	93.08	90.58	89.35	84.34
0.650	96.62	97.11	98.26	97.99	97.67	96.92	96.69	94.93	92.66	91.34	87.44
0.700	98.05	98.93	98.95	98.67	98.42	97.78	97.51	95.85	94.45	91.34	88.95
0.750	98.93	99.30	99.21	98.93	98.47	98.15	96.87	96.06	93.07	91.52	91.11
0.800	99.36	99.52	99.48	99.38	99.38	98.93	98.68	97.86	96.93	95.05	94.71
0.850	99.69	99.88	99.69	99.65	99.61	99.44	99.21	99.02	98.02	97.05	93.87
0.900	99.88	99.88	99.84	99.80	99.72	99.73	99.40	99.19	98.77	98.55	98.27
0.950	99.95	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

## Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 10 MeV

Scaled radius	0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60
0.005	70.19	12.29	2.04	0.53	0.22	0.13	0.02	0.05	0.03	0.02	0.01	0.01	0.03
0.010	80.72	34.28	7.50	2.12	0.95	0.48	0.23	0.21	0.13	0.14	0.09	0.09	0.09
0.015	83.29	50.45	15.41	4.84	2.14	1.02	0.59	0.43	0.29	0.30	0.24	0.24	0.24
0.020	84.47	61.23	24.16	8.24	3.67	1.83	1.08	0.71	0.52	0.49	0.47	0.47	0.45
0.025	85.19	68.14	32.82	12.66	5.73	2.74	1.77	1.17	0.87	0.79	0.78	0.72	0.72
0.030	85.68	72.07	40.56	17.34	8.02	3.98	2.53	1.73	1.28	1.13	1.08	0.99	0.99
0.035	86.08	74.70	47.55	21.84	10.56	5.45	3.43	2.40	1.77	1.50	1.49	1.26	1.26
0.040	86.46	76.37	52.78	26.35	13.40	7.14	4.43	3.12	2.29	1.94	1.85	1.57	1.57
0.045	86.67	77.59	57.39	30.66	16.38	8.87	5.51	3.99	2.89	2.37	2.30	1.98	1.98
0.050	86.85	78.54	60.86	35.05	19.29	10.70	6.75	4.97	3.60	2.87	2.81	2.41	2.41
0.060	87.24	79.75	66.13	42.78	25.27	14.49	9.48	6.87	5.14	4.05	3.94	3.48	3.48
0.070	87.54	80.69	69.36	49.27	31.02	18.71	12.36	9.04	6.83	5.41	5.25	4.72	4.72
0.080	87.75	81.34	71.72	54.43	36.20	23.02	15.55	11.45	8.54	7.05	6.66	6.15	6.15
0.090	87.91	81.87	73.45	58.34	41.32	26.96	19.00	14.00	10.67	8.91	8.42	7.80	7.80
0.100	88.10	82.30	74.75	61.56	45.54	31.07	22.20	16.83	13.04	10.84	10.20	9.41	9.41
0.110	88.19	82.60	75.70	64.09	49.35	35.10	25.54	19.51	15.46	13.07	12.06	11.17	11.17
0.120	88.32	82.96	76.52	66.15	52.59	38.71	29.12	22.24	18.07	15.38	13.91	12.94	12.94
0.130	88.45	83.29	77.25	67.94	55.35	41.96	32.46	20.17	17.69	15.94	14.95	14.95	14.95
0.140	88.61	83.67	77.91	69.44	57.88	45.06	35.49	28.18	23.32	20.17	18.29	17.19	17.19
0.150	88.74	83.93	78.48	70.57	60.15	47.79	38.57	31.10	26.07	22.81	20.59	19.44	19.44
0.160	88.94	84.18	79.06	71.69	62.24	50.22	41.55	33.91	28.73	25.37	23.02	21.98	21.98
0.170	89.13	84.54	79.64	72.64	64.10	52.45	44.18	36.54	31.40	27.70	25.54	24.43	24.43
0.180	89.31	84.83	80.18	73.62	65.64	54.74	46.67	39.17	34.13	30.36	28.01	26.87	26.87
0.190	89.50	85.00	80.64	74.51	67.09	56.81	49.03	41.85	36.75	33.02	30.56	29.28	29.28
0.200	89.68	85.39	81.10	75.25	68.43	58.73	51.24	44.51	39.43	35.55	33.04	31.76	31.76
0.220	89.94	85.98	81.91	76.80	70.88	62.52	55.58	49.48	44.53	40.97	38.34	36.75	36.75
0.240	90.31	86.53	82.85	78.24	73.20	66.04	59.45	54.21	49.53	46.00	43.57	42.21	42.21
0.260	90.66	87.16	83.83	79.71	75.25	68.98	63.19	58.47	54.19	50.95	48.65	47.39	47.39
0.280	91.01	87.81	84.74	81.11	77.14	71.68	66.74	62.43	58.76	55.67	53.41	52.47	52.47
0.300	91.47	88.48	85.69	82.54	78.79	74.29	69.95	66.10	63.04	60.24	58.12	57.42	57.42
0.320	91.95	89.14	86.60	83.74	80.32	76.66	73.15	69.67	67.21	64.66	62.45	62.17	62.17
0.340	92.53	89.77	87.69	85.01	82.05	79.08	76.08	72.95	70.74	68.61	66.61	66.74	66.74
0.360	92.99	90.51	88.70	86.33	83.85	81.24	78.52	76.19	74.22	72.25	70.45	71.04	71.04
0.380	93.55	91.34	89.76	87.54	85.42	83.11	80.91	78.99	77.23	75.76	73.88	74.88	74.88
0.400	94.15	92.11	90.72	88.82	86.97	85.00	83.06	81.59	79.95	79.07	77.36	78.25	78.25
0.420	94.66	92.89	91.57	90.02	88.40	86.64	85.12	84.02	82.47	82.07	80.44	81.52	81.52
0.440	95.19	93.60	92.35	91.20	89.73	88.30	86.94	84.02	82.47	82.07	80.44	84.25	84.25
0.460	95.67	94.33	93.19	92.28	91.06	89.79	88.84	86.06	84.94	84.56	83.47	86.17	86.55
0.480	96.18	95.05	94.03	93.28	92.30	91.13	90.37	89.81	88.26	88.99	88.23	89.14	89.14
0.500	96.66	95.73	94.85	94.22	93.47	92.39	91.74	91.52	90.93	90.82	90.29	91.17	91.17
0.550	97.77	97.19	96.66	95.70	94.91	94.58	94.87	94.53	94.37	94.53	94.09	94.78	94.78
0.600	98.58	98.36	98.01	97.54	97.47	96.84	96.83	96.91	96.78	96.87	96.70	96.99	96.99
0.650	99.17	99.00	98.92	98.58	98.50	98.18	98.27	98.42	98.21	98.34	98.13	98.43	98.43
0.700	99.51	99.43	99.44	99.26	99.27	99.09	99.06	99.13	99.00	99.10	98.96	99.07	99.07
0.750	99.76	99.70	99.67	99.63	99.64	99.53	99.52	99.54	99.48	99.47	99.47	99.53	99.53
0.800	99.86	99.79	99.82	99.81	99.83	99.79	99.75	99.73	99.73	99.73	99.69	99.68	99.68
0.850	99.93	99.87	99.91	99.91	99.93	99.88	99.86	99.87	99.81	99.83	99.84	99.84	99.84
0.900	99.96	99.94	99.94	99.94	99.97	99.92	99.92	99.95	99.95	99.95	99.88	99.88	99.88
0.950	99.98	99.96	99.96	99.96	99.99	99.98	99.97	99.97	99.97	99.97	99.96	99.93	99.93
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 10 MeV									
Scaled radius	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00
0.005	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.010	0.05	0.09	0.13	0.16	0.20	0.24	0.28	0.32	0.36
0.015	0.17	0.20	0.22	0.24	0.26	0.28	0.30	0.32	0.35
0.020	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75
0.025	0.50	0.53	0.55	0.57	0.59	0.62	0.67	0.70	0.75
0.030	0.84	0.83	0.97	0.97	0.87	0.96	0.39	0.37	0.75
0.035	1.13	1.11	1.27	1.31	1.31	1.46	0.81	1.19	1.10
0.040	1.53	1.40	1.69	1.79	1.79	1.87	1.55	1.92	1.68
0.045	1.87	1.83	2.08	2.24	2.24	2.32	2.37	2.61	2.15
0.050	2.30	2.25	2.54	2.99	2.99	2.89	3.24	3.38	3.12
0.060	3.36	3.30	4.03	4.30	4.30	3.90	4.59	5.44	4.08
0.070	4.42	4.57	5.29	5.57	5.24	5.16	7.45	5.60	4.60
0.080	5.82	5.93	6.71	7.32	6.44	7.55	8.85	7.17	4.94
0.090	7.26	7.45	8.29	8.91	8.04	9.39	10.25	8.20	6.34
0.100	8.81	9.53	9.89	10.92	10.38	10.68	12.10	8.81	7.49
0.110	10.41	11.30	11.68	12.75	11.68	11.99	12.39	14.71	9.49
0.120	12.41	13.34	13.44	14.46	13.39	13.39	14.48	17.32	9.64
0.130	14.37	15.31	15.17	17.38	15.27	16.45	19.11	10.39	10.30
0.140	16.61	17.38	16.90	19.49	17.16	19.31	20.94	11.66	15.53
0.150	19.04	19.72	18.93	21.54	20.02	21.64	22.89	14.06	16.40
0.160	21.30	22.18	22.18	20.97	23.80	22.70	24.74	15.16	17.19
0.170	23.80	24.38	24.38	23.47	26.39	25.39	26.79	15.53	18.27
0.180	26.53	27.10	27.10	25.88	29.26	28.17	29.69	16.46	18.82
0.190	29.05	29.69	29.69	28.33	31.85	30.75	32.11	17.54	19.55
0.200	31.74	32.35	32.35	30.87	34.59	33.37	34.90	31.23	19.23
0.220	37.22	37.65	37.20	39.59	38.52	40.09	35.91	24.60	23.68
0.240	42.60	42.57	43.08	43.97	43.64	45.86	40.98	29.22	26.16
0.260	48.10	47.92	49.02	49.60	47.97	50.04	44.38	33.11	28.96
0.280	53.05	53.15	54.39	55.09	53.14	54.38	47.67	37.34	32.28
0.300	57.94	58.18	59.45	60.87	58.31	59.32	51.94	41.01	35.03
0.320	62.51	62.99	64.59	66.00	63.35	64.22	56.39	44.44	37.74
0.340	67.47	67.97	69.27	70.50	67.46	67.97	60.10	48.02	40.62
0.360	72.28	72.13	73.26	74.23	71.11	71.47	63.10	51.86	42.58
0.380	76.22	76.83	76.89	77.29	74.58	74.67	65.99	54.15	45.34
0.400	80.07	80.19	80.77	80.93	77.88	77.47	69.01	56.14	46.62
0.420	83.11	84.10	84.10	83.77	81.09	80.62	71.06	57.73	49.16
0.440	85.79	87.02	87.04	86.52	83.68	81.84	72.61	58.88	50.26
0.460	88.21	89.11	89.23	88.82	86.26	82.66	74.06	60.39	53.30
0.480	90.14	91.12	91.06	90.55	88.58	84.19	75.76	61.58	55.91
0.500	92.07	92.82	92.63	92.26	90.64	85.60	76.79	63.00	57.53
0.550	95.51	95.67	95.12	95.56	92.80	88.12	80.70	67.34	60.92
0.600	97.40	97.28	96.52	97.27	94.41	91.13	82.45	72.97	65.48
0.650	98.44	98.27	97.54	97.71	95.61	93.03	84.74	75.91	71.48
0.700	99.15	98.77	98.22	98.26	96.54	94.12	86.55	78.52	77.25
0.750	99.43	99.20	98.77	98.48	97.47	94.93	89.39	82.74	77.64
0.800	99.58	99.55	99.11	98.79	98.52	96.57	91.66	86.52	80.30
0.850	99.75	99.74	99.39	99.15	99.16	97.75	93.83	91.93	89.57
0.900	99.81	99.88	99.71	99.44	99.45	99.11	96.71	94.52	94.75
0.950	99.90	99.96	99.85	99.72	99.75	99.77	98.60	97.00	98.03
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

## Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 5 MeV

Scaled radius	0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55
0.005	54.29	5.65	0.81	0.31	0.16	0.09	0.05	0.03	0.02	0.01	0.003	0.002
0.010	66.66	17.92	3.35	1.13	0.53	0.32	0.15	0.14	0.20	0.16	0.14	0.13
0.015	70.62	30.16	7.15	2.36	1.07	0.69	0.37	0.36	0.33	0.32	0.25	0.28
0.020	72.16	39.54	11.61	3.92	1.87	1.20	0.71	0.61	0.56	0.51	0.43	0.48
0.025	73.02	46.29	16.65	5.91	2.91	1.75	1.12	0.91	0.86	0.74	0.70	0.74
0.030	73.69	51.18	21.51	8.15	3.99	2.50	1.60	1.22	1.11	1.07	0.99	1.03
0.035	74.21	54.89	26.22	10.57	5.42	3.32	2.09	1.63	1.46	1.42	1.30	1.33
0.040	74.64	57.55	30.66	13.19	6.84	4.22	2.66	2.07	1.94	1.82	1.70	1.70
0.045	74.93	59.59	34.63	15.88	8.39	5.22	3.41	2.66	2.48	2.31	2.25	2.13
0.050	75.23	61.04	38.16	18.58	10.09	6.33	4.23	3.26	3.05	2.75	2.85	2.59
0.060	75.76	63.08	44.02	24.03	13.77	8.79	6.01	4.58	4.39	3.85	4.20	3.74
0.070	76.05	64.65	48.74	29.20	17.73	11.55	8.07	6.18	5.83	5.24	5.38	5.03
0.080	76.46	65.76	52.23	33.98	21.37	14.35	10.18	8.02	7.50	6.65	6.77	6.46
0.090	76.78	66.71	54.89	37.93	25.09	17.30	12.45	9.93	9.27	8.42	8.27	8.14
0.100	77.08	67.48	56.95	41.69	28.64	20.15	14.98	12.15	10.99	10.29	10.19	10.00
0.110	77.35	68.15	58.81	45.04	32.17	23.04	17.51	14.38	13.02	12.56	12.21	11.75
0.120	77.62	68.82	60.36	47.71	35.30	26.33	20.22	16.84	15.21	14.72	14.31	13.98
0.130	77.87	69.43	61.69	50.11	38.39	29.45	22.91	19.33	17.38	17.07	16.61	16.45
0.140	78.20	70.02	62.97	52.27	41.25	32.56	25.77	21.72	19.61	19.53	19.10	18.85
0.150	78.56	70.61	64.15	54.21	44.09	35.50	28.46	24.31	22.01	21.96	21.76	21.05
0.160	78.84	71.26	65.20	56.23	46.64	38.46	31.38	26.90	24.49	24.43	24.15	23.47
0.170	79.21	71.87	66.19	57.99	49.04	41.29	34.22	29.53	27.17	26.84	26.57	25.80
0.180	79.64	72.46	67.19	59.59	51.31	43.99	36.96	32.29	29.83	29.29	28.53	28.28
0.190	80.09	73.16	68.15	61.23	53.37	46.53	39.68	34.91	32.33	32.00	32.22	31.25
0.200	80.49	73.82	69.15	62.82	55.42	48.94	42.52	37.57	35.12	34.78	35.05	34.39
0.220	81.41	75.24	70.99	65.76	59.12	53.62	47.50	42.91	40.61	40.30	40.54	40.91
0.240	82.43	76.53	72.98	68.60	62.40	57.84	52.49	48.40	46.11	45.63	46.24	46.58
0.260	83.50	78.06	74.97	71.17	65.72	62.03	57.21	53.69	51.47	51.05	51.25	52.20
0.280	84.71	79.67	76.94	73.94	68.75	65.81	61.74	58.69	56.77	56.09	56.59	57.40
0.300	85.85	81.26	78.86	76.62	71.94	69.69	66.01	63.17	61.62	61.03	61.63	62.39
0.320	87.12	82.93	80.91	78.94	75.10	73.27	67.27	66.11	65.75	66.42	67.63	67.33
0.340	88.38	84.55	82.67	81.34	77.97	76.45	73.91	71.31	70.35	70.17	71.15	72.24
0.360	89.59	86.06	84.58	83.43	80.70	79.35	77.43	75.12	74.26	74.38	75.29	76.04
0.380	90.73	87.58	86.35	85.26	83.18	82.10	80.46	78.56	77.79	78.04	79.13	79.84
0.400	91.88	88.92	87.90	87.22	85.47	84.78	83.14	81.67	81.39	81.79	82.84	83.39
0.420	92.92	90.36	89.42	88.01	87.65	87.14	85.85	84.48	84.48	85.08	86.05	86.46
0.440	93.96	91.61	90.91	90.53	89.57	89.13	88.38	87.04	87.04	87.83	88.90	89.34
0.460	94.73	92.69	92.37	91.82	91.31	90.92	90.47	89.41	89.24	89.93	91.31	91.50
0.480	95.51	93.89	93.62	93.16	92.84	92.55	92.22	91.54	91.26	92.03	93.18	93.28
0.500	96.28	94.84	94.64	94.18	94.24	93.91	93.81	93.35	93.03	93.91	94.59	94.82
0.550	97.71	96.92	96.85	96.51	96.45	96.49	96.42	96.42	96.42	96.91	96.97	97.20
0.600	98.62	98.30	98.28	98.09	98.09	98.15	98.27	98.16	98.22	98.46	98.52	98.49
0.650	99.27	99.21	99.19	99.00	99.07	99.01	99.16	99.10	99.30	99.38	99.51	99.51
0.700	99.65	99.61	99.52	99.52	99.56	99.53	99.66	99.65	99.62	99.73	99.56	99.72
0.750	99.86	99.85	99.84	99.75	99.80	99.83	99.86	99.85	99.80	99.84	99.73	99.76
0.800	99.94	99.94	99.94	99.94	99.95	99.95	99.95	99.95	99.87	99.89	99.77	99.82
0.850	99.97	99.97	99.96	99.96	99.97	99.97	99.97	99.97	99.95	99.95	99.82	99.87
0.900	99.99	99.99	99.98	99.98	99.97	99.97	99.97	99.97	99.98	99.98	99.84	99.89
0.950	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.98	99.98	99.93	99.97
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

TABLE 3B. Continued

## Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 2 MeV

Scaled radius	0.0	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60
0.005	40.15	3.02	0.40	0.14	0.06	0.06	0.04	0.03	0.02	0.01	0.04	0.02	0.02
0.010	50.69	9.91	1.63	0.49	0.31	0.19	0.12	0.10	0.11	0.06	0.11	0.18	0.18
0.015	55.22	17.38	3.47	1.18	0.66	0.40	0.29	0.31	0.28	0.20	0.23	0.39	0.39
0.020	57.40	24.28	5.94	2.12	1.17	0.69	0.52	0.60	0.52	0.41	0.39	0.80	0.80
0.025	58.50	30.11	8.87	3.22	1.80	1.14	0.84	0.89	0.80	0.68	0.54	1.24	1.24
0.030	59.09	34.68	11.76	4.45	2.51	1.68	1.32	1.24	1.18	0.99	0.88	1.79	1.79
0.035	59.67	38.19	14.98	5.95	3.37	2.30	1.90	1.70	1.72	1.35	1.22	2.32	2.32
0.040	60.10	40.98	17.92	7.57	4.27	3.02	2.55	2.20	2.20	1.84	1.68	2.95	2.95
0.045	60.41	43.42	20.64	9.39	5.34	3.79	3.21	2.75	2.75	2.27	2.20	3.57	3.57
0.050	60.72	45.21	23.24	11.22	6.52	4.65	3.90	3.31	3.33	2.84	2.90	4.34	4.34
0.060	61.33	48.09	28.12	14.98	8.82	6.56	5.40	4.71	4.79	4.11	4.60	6.03	6.03
0.070	61.86	50.25	32.57	18.70	11.54	8.55	7.04	6.44	6.45	5.68	6.56	7.60	7.60
0.080	62.34	51.91	36.51	22.30	14.43	10.86	8.77	8.23	8.29	7.30	8.38	9.34	9.34
0.090	62.86	53.38	39.90	26.04	17.56	13.22	10.95	10.13	10.22	9.20	10.25	10.83	10.83
0.100	63.43	54.77	42.91	29.47	20.50	15.74	13.10	12.14	12.42	11.28	12.31	12.71	12.71
0.110	63.91	56.07	45.47	32.57	23.56	18.45	15.49	14.46	14.59	13.63	14.29	15.15	15.15
0.120	64.58	57.21	47.76	35.70	26.60	21.28	17.96	16.78	16.97	16.03	16.57	17.65	17.65
0.130	65.28	58.48	50.04	38.58	29.62	24.14	20.59	19.60	19.35	18.18	19.24	20.02	20.02
0.140	66.03	59.66	52.00	41.37	32.59	27.06	23.24	21.87	21.80	20.56	22.07	22.87	22.87
0.150	66.89	60.84	53.79	44.22	35.69	29.80	26.07	24.42	24.54	23.20	24.53	25.70	25.70
0.160	67.78	62.07	55.58	46.81	38.49	32.50	28.81	26.99	27.51	26.11	26.85	28.91	28.91
0.170	68.68	63.22	57.24	49.26	41.43	35.40	31.69	29.55	30.47	29.11	29.71	31.77	31.77
0.180	69.56	64.36	58.92	51.85	44.20	38.20	34.48	32.33	32.05	32.71	34.81	34.81	34.81
0.190	70.58	65.56	60.64	54.23	46.89	40.88	37.37	35.16	36.34	34.98	35.79	37.46	37.46
0.200	71.56	66.81	62.30	56.46	49.39	43.73	40.18	37.92	39.45	38.12	38.87	40.19	40.19
0.220	73.61	69.41	65.48	60.67	54.23	48.93	45.78	43.90	45.91	44.19	45.37	46.03	46.03
0.240	75.83	72.26	68.43	64.78	59.08	54.25	51.27	49.75	51.47	50.38	51.42	52.36	52.36
0.260	78.16	75.03	71.84	68.45	63.23	59.23	56.03	55.03	57.26	55.99	56.79	58.88	58.88
0.280	80.37	77.56	74.76	71.81	68.07	63.72	61.53	60.61	62.84	62.13	63.08	63.80	63.80
0.300	82.43	79.98	77.57	75.16	72.05	68.25	66.16	65.78	67.72	67.54	68.37	68.34	68.34
0.320	84.73	82.24	80.27	78.32	75.63	72.63	70.46	70.16	72.27	72.24	72.76	73.35	73.35
0.340	86.69	84.40	82.79	81.32	78.95	76.44	74.48	74.38	76.77	77.02	77.01	79.11	79.11
0.360	88.53	86.50	85.05	84.04	82.07	79.80	78.28	78.70	80.56	80.62	81.12	83.16	83.16
0.380	90.06	88.59	87.30	86.36	84.99	82.76	81.72	82.19	84.06	84.02	84.55	86.47	86.47
0.400	91.48	90.33	89.43	88.66	87.49	85.44	83.08	83.51	87.01	86.94	87.76	89.38	89.38
0.420	92.87	91.90	91.31	90.62	89.65	87.91	87.91	87.97	89.32	89.47	90.31	91.16	91.16
0.440	94.04	93.41	93.00	92.33	91.55	90.13	90.44	90.27	91.19	91.38	92.67	93.02	93.02
0.460	95.08	94.51	94.28	93.73	93.25	92.09	92.45	92.20	93.05	93.19	94.41	94.69	94.69
0.480	96.16	95.61	95.45	94.94	94.56	93.87	94.08	93.98	94.57	95.00	95.69	96.08	96.08
0.500	96.97	96.64	96.54	96.04	95.79	95.29	95.34	95.91	96.04	96.65	96.65	96.93	96.93
0.550	98.58	98.34	98.21	97.85	97.93	97.68	97.59	97.76	98.25	98.37	98.49	98.45	98.45
0.600	99.39	99.22	99.20	99.00	98.97	98.98	98.93	98.93	99.10	99.46	99.43	99.40	99.35
0.650	99.77	99.63	99.61	99.53	99.63	99.64	99.60	99.60	99.60	99.85	99.84	99.76	99.61
0.700	99.95	99.86	99.87	99.86	99.86	99.89	99.91	99.91	99.91	99.96	99.97	99.79	99.73
0.750	100.00	99.95	99.92	99.92	99.92	99.95	99.96	99.96	99.96	99.96	99.97	99.87	99.76
0.800	100.00	99.96	99.96	99.96	99.96	99.97	99.97	99.97	99.97	99.98	99.89	99.81	99.81
0.850	100.00	99.99	99.99	99.99	99.99	99.98	99.98	99.98	99.98	99.99	99.99	99.91	99.86
0.900	100.00	99.99	99.99	99.99	99.99	99.98	99.98	99.98	99.99	99.99	99.99	99.93	99.90
0.950	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

## Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 2 MeV

Scaled radius	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20
0.005	0.0	0.02	0.05	0.07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.010	0.0	0.05	0.09	0.26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.015	0.05	0.09	0.39	0.64	0.28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.020	0.19	0.39	1.0	1.62	1.26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.025	0.43	0.65	1.10	1.70	1.30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.030	0.96	0.94	1.62	2.12	1.81	0.10	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.035	1.34	1.20	1.81	2.13	2.13	2.61	3.76	0.0	0.0	0.0	0.0	0.0	0.0
0.040	1.87	1.83	1.97	2.31	2.31	2.98	7.28	0.0	0.0	0.0	0.0	0.0	0.0
0.045	2.36	2.64	2.64	3.36	3.36	3.39	8.29	2.33	0.0	0.0	0.0	0.0	0.0
0.050	2.91	3.36	2.31	3.39	3.39	8.29	2.33	0.0	0.0	0.0	0.0	0.0	0.0
0.060	4.30	5.17	2.88	3.94	11.14	4.64	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.070	6.19	6.99	4.02	6.78	18.81	4.64	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.080	8.62	9.53	6.65	9.00	19.33	4.64	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.090	10.62	11.63	9.36	10.95	19.81	4.64	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.100	13.35	13.87	12.02	13.63	20.51	7.60	0.0	0.0	0.0	0.0	0.0	0.0	2.39
0.110	15.65	16.33	14.46	15.82	23.11	14.47	0.0	0.0	0.0	0.0	0.0	0.0	5.92
0.120	18.49	19.84	17.90	19.67	24.28	17.09	0.0	0.0	0.0	0.0	0.0	0.0	10.33
0.130	21.21	23.14	20.61	26.04	28.21	18.00	1.06	0.0	0.0	0.0	0.0	0.0	10.33
0.140	24.85	27.01	23.43	32.88	33.58	20.95	2.33	0.0	0.0	0.0	0.0	0.0	10.33
0.150	28.39	30.31	25.22	38.56	39.13	23.08	3.75	0.0	0.0	0.0	0.0	0.0	10.33
0.160	31.22	33.85	27.24	40.36	40.68	34.29	3.81	0.0	0.0	0.0	0.0	0.0	10.33
0.170	34.68	38.17	31.31	42.78	43.01	34.55	3.81	0.0	0.0	0.0	0.0	0.0	10.33
0.180	38.37	41.84	34.18	44.54	44.65	34.55	3.81	0.0	0.0	0.0	0.0	0.0	10.33
0.190	41.66	44.59	37.11	44.76	45.12	34.55	3.81	0.0	0.0	0.0	0.0	0.0	10.33
0.200	44.97	48.82	39.43	45.94	45.6	36.65	4.63	0.0	0.0	0.0	0.0	0.0	10.33
0.220	51.65	56.77	43.12	47.32	46.05	51.20	4.63	0.0	0.0	0.0	0.0	0.0	10.33
0.240	57.71	62.39	45.91	51.31	52.69	52.38	7.79	0.0	0.0	0.0	0.0	0.0	11.83
0.260	63.68	67.51	52.75	57.68	62.76	56.60	23.74	0.0	0.0	0.0	0.0	0.0	11.83
0.280	68.05	73.26	76.41	66.69	68.61	74.01	58.62	0.0	0.0	0.0	0.0	0.0	11.83
0.300	73.26	77.15	81.30	72.98	75.28	74.12	58.62	0.0	0.0	0.0	0.0	0.0	11.83
0.320	81.01	86.33	78.62	77.40	74.47	62.90	27.69	0.0	0.0	0.0	0.0	0.0	11.83
0.340	84.75	89.81	82.14	77.40	74.47	64.87	37.57	0.0	0.0	0.0	0.0	0.0	11.83
0.360	87.28	91.09	83.85	86.03	81.69	75.88	64.87	0.0	0.0	0.0	0.0	0.0	11.83
0.380	89.66	92.38	93.75	88.28	83.57	77.67	67.89	0.0	0.0	0.0	0.0	0.0	11.83
0.400	92.29	95.07	88.74	85.95	79.95	79.28	69.47	0.0	0.0	0.0	0.0	0.0	11.83
0.420	94.59	96.00	89.95	87.21	79.28	69.81	48.88	0.0	0.0	0.0	0.0	0.0	11.83
0.440	95.93	96.82	97.06	91.17	89.67	79.28	74.63	50.61	0.0	0.0	0.0	0.0	0.0
0.460	97.61	97.94	92.30	90.11	80.90	74.63	51.85	61.72	0.0	0.0	0.0	0.0	0.0
0.500	98.97	98.63	94.84	90.92	93.66	87.30	78.61	61.38	0.0	0.0	0.0	0.0	0.0
0.550	99.46	98.92	96.89	96.89	93.79	87.55	84.99	69.97	0.0	0.0	0.0	0.0	0.0
0.600	99.65	98.95	97.88	94.80	88.61	85.07	72.89	78.65	0.0	0.0	0.0	0.0	0.0
0.650	99.82	99.05	98.33	95.29	95.99	90.20	85.07	76.04	0.0	0.0	0.0	0.0	0.0
0.700	99.85	99.96	99.43	98.09	96.43	89.32	95.58	79.66	0.0	0.0	0.0	0.0	0.0
0.750	99.94	99.96	99.72	99.70	98.39	95.51	100.00	98.40	0.0	0.0	0.0	0.0	0.0
0.800	99.88	99.53	98.83	97.60	92.79	88.69	85.32	87.73	52.44	0.0	0.0	0.0	0.0
0.850	99.88	99.53	98.83	97.60	92.79	88.69	85.32	87.73	52.44	0.0	0.0	0.0	0.0
0.900	99.90	99.85	99.43	98.09	96.43	89.32	95.58	79.66	0.0	0.0	0.0	0.0	0.0
0.950	99.94	99.96	99.72	99.70	98.39	95.51	100.00	98.40	0.0	0.0	0.0	0.0	0.0
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

## Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 1 MeV

Scaled radius	0.0	0.05	0.10	0.15	Scaled depth interval				0.40	0.45	0.50	0.55
					0.20	0.25	0.30	0.35				
0.005	34.12	2.10	0.28	0.10	0.06	0.05	0.05	0.05	0.04	0.03	0.03	0.03
0.010	43.94	6.90	1.15	0.42	0.21	0.14	0.13	0.12	0.10	0.09	0.09	0.04
0.015	48.12	12.88	2.40	0.95	0.47	0.35	0.27	0.28	0.27	0.18	0.18	0.14
0.020	50.37	18.33	4.21	1.62	0.79	0.62	0.50	0.48	0.48	0.39	0.39	0.45
0.025	51.67	23.25	6.41	2.55	1.30	1.02	0.79	0.83	0.72	0.71	0.71	0.75
0.030	52.47	27.34	8.74	3.56	1.99	1.47	1.21	1.23	0.99	1.09	1.09	1.07
0.035	53.07	30.43	11.35	4.75	2.67	2.06	1.71	1.67	1.36	1.57	1.57	1.45
0.040	53.44	33.28	13.83	5.99	3.46	2.65	2.26	2.12	1.84	2.09	2.09	2.09
0.045	53.93	35.48	16.28	7.42	4.34	3.33	2.77	2.72	2.37	2.75	2.81	2.79
0.050	54.30	37.45	18.53	8.84	5.44	4.10	3.41	3.32	2.99	3.40	3.27	3.46
0.060	55.01	40.84	22.72	11.97	7.82	5.59	4.74	4.67	4.35	4.81	4.88	4.88
0.070	55.75	43.48	26.73	15.10	10.19	7.71	6.27	6.32	6.20	6.47	6.66	6.21
0.080	56.47	45.66	30.33	18.48	12.93	10.71	8.19	8.36	8.31	8.56	8.68	10.38
0.090	57.16	47.57	33.70	21.64	15.63	12.37	10.6	10.29	10.38	10.67	10.83	12.33
0.100	57.90	49.38	36.86	24.89	18.52	15.03	12.34	12.20	12.47	12.95	13.12	15.08
0.110	58.76	51.09	39.77	28.04	21.49	17.78	14.66	14.27	14.57	15.34	15.28	17.65
0.120	59.70	52.80	42.49	31.26	24.28	20.57	17.17	16.88	17.10	18.08	17.69	20.18
0.130	60.69	54.43	44.98	34.12	27.27	23.43	19.66	19.66	19.89	20.65	20.65	22.66
0.140	61.77	56.17	47.50	37.06	30.45	26.34	22.58	22.30	22.50	23.12	22.83	25.24
0.150	62.90	57.81	50.50	39.93	33.69	29.17	25.44	25.09	25.35	26.19	25.64	28.47
0.160	64.14	59.38	52.27	42.78	36.57	32.02	28.43	28.02	28.47	28.92	28.48	31.49
0.170	65.30	61.00	54.44	45.45	39.59	35.09	31.30	30.94	31.52	31.68	31.14	34.57
0.180	66.56	62.53	56.56	48.06	42.51	37.89	34.31	33.82	34.47	34.34	34.47	38.14
0.190	67.96	64.09	58.71	50.71	45.36	40.79	37.03	37.00	37.32	37.30	37.46	41.43
0.200	69.25	65.76	60.68	53.19	48.18	43.59	39.96	40.01	40.23	40.20	40.72	44.31
0.220	72.09	68.60	64.51	57.95	53.69	49.24	45.84	45.94	46.40	46.76	46.76	50.71
0.240	74.80	71.52	68.11	62.37	58.70	54.35	51.91	51.90	52.81	53.27	52.84	56.37
0.260	77.66	74.60	71.53	66.55	63.37	59.67	56.70	57.80	58.73	58.76	58.03	61.96
0.280	80.16	77.56	74.95	70.53	67.66	64.62	63.36	63.12	64.30	64.17	63.68	66.87
0.300	82.57	80.31	78.12	74.38	71.31	69.37	68.51	68.14	69.43	69.10	68.83	71.10
0.320	84.95	83.16	81.20	77.73	75.68	73.68	73.09	72.70	74.53	73.72	73.46	75.10
0.340	87.16	85.66	83.90	80.94	79.15	77.34	77.18	76.76	78.66	77.77	77.10	79.19
0.360	89.17	87.83	86.46	83.92	82.39	80.61	80.92	80.62	82.46	81.65	81.22	82.81
0.380	91.05	89.65	88.62	86.41	85.33	83.71	84.36	83.77	85.51	85.51	84.92	86.14
0.400	92.62	91.29	90.52	88.66	88.66	86.53	87.44	86.94	87.99	88.20	88.13	89.03
0.420	93.91	92.86	92.20	90.86	90.86	89.02	89.09	89.09	90.34	90.34	90.38	91.96
0.440	95.05	94.29	93.61	92.63	92.24	91.44	92.13	92.39	92.20	92.54	92.22	94.05
0.460	96.07	95.27	94.83	94.22	93.95	93.24	93.80	94.50	94.22	94.45	94.21	95.41
0.480	96.97	96.20	95.92	95.53	95.21	94.71	95.13	95.86	95.79	96.04	95.75	96.69
0.500	97.59	96.95	96.82	96.48	96.24	96.06	96.95	97.08	97.19	96.81	97.93	99.93
0.550	98.70	98.35	98.34	98.17	98.10	98.15	98.35	98.59	98.82	98.91	99.04	99.54
0.600	99.49	99.33	99.34	99.14	99.17	99.30	99.32	99.39	99.52	99.54	99.54	99.50
0.650	99.77	99.75	99.72	99.70	99.64	99.73	99.75	99.77	99.83	99.86	99.86	99.70
0.700	99.90	99.91	99.90	99.91	99.89	99.91	99.98	99.94	99.95	99.95	99.95	99.70
0.750	99.93	99.95	99.99	99.98	99.99	99.99	99.97	99.99	99.96	99.96	99.96	99.70
0.800	99.96	100.00	100.00	100.00	100.00	99.99	100.00	100.00	100.00	100.00	100.00	99.85
0.850	99.98	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	99.91
0.900	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	99.93
0.950	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 3B. Continued

Cumulative Radial Energy-Deposition Distribution in Copper, Beam Energy = 1 MeV

<p><b>U.S. DEPT. OF COMM.</b></p> <p><b>BIBLIOGRAPHIC DATA SHEET</b> (See Instructions)</p>				<b>1. PUBLICATION OR REPORT NO.</b> NBSIR 82- 2579	<b>2. Performing Organ. Report No.</b>	<b>3. Publication Date</b> October 1982
<b>4. TITLE AND SUBTITLE</b> <p>Tables of Energy Deposition Distributions in Aluminum and Copper Irradiated by Point-Monodirectional Electron Beams with Energies from 1 to 60 MeV</p>						
<b>5. AUTHOR(S)</b> M. J. Berger and S. M. Seltzer						
<b>6. PERFORMING ORGANIZATION</b> (If joint or other than NBS, see instructions) <p>NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, D.C. 20234</p>				<b>7. Contract/Grant No.</b>  <b>8. Type of Report &amp; Period Covered</b>		
<b>9. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (Street, City, State, ZIP)</b> <p>Office of Naval Research Department of Navy and Space Science Data Center Washington, D.C. 20375 NASA Goddard Space Flight Center Greenbelt, MD 20771</p>						
<b>10. SUPPLEMENTARY NOTES</b> <p><input type="checkbox"/> Document describes a computer program; SF-185, FIPS Software Summary, is attached.</p>						
<b>11. ABSTRACT</b> (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here) <p>This report presents tables of energy deposition distributions in aluminum and copper media irradiated by monoenergetic point-monodirectional electron beams. The distributions are given as functions of the depth in the medium and of the radial distance from the incident beam. Results are given for 7 beam energies between 1 MeV and 60 MeV. As shown earlier in National Bureau of Standards Report NBSIR 82-2451 (1982), the tabulated results from monoenergetic, point-monodirectional sources can be used, by superposition, to obtain spatial distributions of the energy imparted to the medium by parallel beams with arbitrary spectrum and finite arbitrary cross section.</p>						
<b>12. KEY WORDS</b> (Six to twelve entries; alphabetical order; capitalize only proper names; and separate key words by semicolons) <p>absorbed-dose distribution; aluminum; copper; electron; point-monodirectional beam; superposition.</p>						
<b>13. AVAILABILITY</b> <p><input checked="" type="checkbox"/> Unlimited  <input type="checkbox"/> For Official Distribution. Do Not Release to NTIS  <input type="checkbox"/> Order From Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.  <input checked="" type="checkbox"/> Order From National Technical Information Service (NTIS), Springfield, VA. 22161</p>				<b>14. NO. OF PRINTED PAGES</b> 38 39		
				<b>15. Price</b> \$7.50		

